




SCALE 1:1

TECHNICAL SPECIFICATION :

MAX. CURRENT : 16.0A
INSULATION RESISTANCE : 100Megaohms min.
MAX. CONDUCTOR : 1.50mm²/16AWG
MAX. VOLTAGE : 250V
CONTACT RESISTANCE : ≤15milliohms max.

CABLE DIAMETER RANGE :
PG6-M16 : 6.00-8.00mm
PG11 - G1/2"-M20 : 8.00-10.0mm


OPERATING TEMPERTURE WITH:
NITRILE RUBBER(NBR) GASKET : -40°C TO +90°C
SILICONE : -40°C TO +125°C

ENVIRONMENTAL : IP65
(IP67 AVAIABLE ON REQUEST)


BOM

ITEM	DESCRIPTION	QTY.
1	SCREW	1
2	COVER ASSEMBLY	1
3	INSERT ASSEMBLY	1
4	GASKET	1


INTEGRATED GASKET




PROFIED GASKET






FLAT GASKET




SCREW M3x29



SCREW M3x30 + WASHER




EARTH POSITION
H12 SHOWN




NOTES :

1. PLEASE SEE PDP 1210230229 FOR CURRENTLY CONFIGURED PART NUMBERS.
2. FOR PACKAGING SEE PACKAGING SPEC PK-121023-C18
3. PRODUCT SPEC : SEE PS-121201-001

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:											
 = 0		mm		2:1		EC NO: 707042 DRWN: APAWLAK01 2022/05/17 CHK'D: RSILLER 2022/05/19 APPR: RSILLER 2022/05/19 INITIAL REVISION: DRWN: SSM 2019/01/09 APPR: RSILLER 2019/01/15											
 = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)															
 = 0		ANGULAR TOL ± °															
 = 0		4 PLACES ±															
 = 0		3 PLACES ±				C18 SERIES ASSEMBLY OPTIONS											
 = 0		2 PLACES ± 0.1															
 = 0		1 PLACE ± 0.2				PRODUCT CUSTOMER DRAWING											
 = 0		0 PLACES ±															
 = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								A3-SIZE		121023		SEE 1210230229 PDP		GENERAL MARKET		1 OF 2	

C18 SERIES MATRIX



SERIES
C18 - INTERNAL
THREAD
FORM A

POLES
2 - 2 POLE
3 - 3 POLE

THREAD
09 - PG9
11- PG11
M6 - M6x1.5
M0 - M20x1.5
12 -1/2" GAS,
13 - 1/2" NPTF
39 - PG9 W/STRAIN RELIEF
41 - PG11 W/STRAIN RELIEF

GROUND
POSITION :
0 - UNMOUNTED
2 - H12
3 - H3
6 - H6
9 - H9

MATERIAL AND
HOUSING COLOR:
G - PA6 Grey
N - Black Black
T - Transparent
W - Black UL94 - V0
H - PA6 HEAT PROTECTION
Z - Grey V0

SCREW AND GASKET
1 - NBR PROFILE GASKET & SCREW
2 - NBR FLAT GASKET & SCREW
3 - WHITE SILICONE PROFILE GASKET & SCREW
4 - WHITE SILICONE FLAT GASKET & SCREW
5 - NBR PROFILE GASKET, NO SCREW
9 - NO GASKET , NO SCREW
0 - NO GASKET , NO SCREW
A - NBR PROFILE GASKET & SCREW + 2mm
B - NBR FLAT GASKET & SCREW + 2mm
C - WHITE SILICONE PROFILE GASKET & SCREW + 2mm
G - NO GASKET & STANDARD SCREW
I - BULK PACK FULLY MOUNTED , NO GASKET
P - INTEGRATED NBR GASKET & IP67 SCREW ASSEMBLED
R - INTEGRATED NBR GASKET & IP97 SCREW NOT ASSEMBLED

NON STANDARD COMPONENTS
AF - WITH CENTRE SCREW MOUNTED
14 - SINGLE BAGGED
SA - UL LISTED
19 - PIN No.3 NON CONNECTED/REMOVED
23 - ASSEMBLED SCREWS & GASKET
10 - SPECIAL GROMMET
4S - SPECIAL GROMMET
5A - SINGLED BAGGED 500 IN A BOX
9V - NO SCREW OR GASKET
BM - GOLD TERMINALS
BS - FULLY MOUNTED ALL COMPONENTS
IN SEPERATE BAGS
OH - INOX SCREW
P7 - IP67 COMPLIANT

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
	DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex				
	mm		1:1										
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 707042 DRWN: APAWLAK01 2022/05/17 CHK'D: RSILLER 2022/05/19 APPR: RSILLER 2022/05/19				C18 SERIES ASSEMBLY OPTIONS				
	ANGULAR TOL ± °												
	4 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION				PRODUCT CUSTOMER DRAWING				
	3 PLACES ±												
	2 PLACES ± 0.1												
	1 PLACE ± 0.2		INITIAL REVISION: DRWN: SSM 2019/01/09 APPR: RSILLER 2019/01/15		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION		
	0 PLACES ±				1210230229		PSD		000		A1		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
A3-SIZE					121023		SEE 1210230229 PDF		GENERAL MARKET		2 OF 2		

molex

C18 SERIES ASSEMBLY OPTIONS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
1210230229	PSD	000	A1

1210230229 PDP	GENERAL MARKET	2 OF 2
----------------	----------------	--------

[illegible]




SCREW AND GASKET

- 1= NBR PROFILE GASKET & SCREW
- 2= NBR FLAT GASKET & SCREW
- 3= WHITE SILICONE PROFILE GASKET & SCREW
- 4= WHITE SILICONE FLAT GASKET & SCREW
- 5= NBR PROFILE GASKET, NO SCREW
- 9= NO GASKET, NO SCREW
- 0= NO GASKET, NO SCREW
- A= NBR PROFILE GASKET & SCREW +2mm
- B= NBR FLAT GASKET & SCREW +2mm
- C= WHITE SILICONE PROFILE GASKET & SCREW +2mm
- G= NO GASKET & STANDARD SCREW
- I= BULK PACK FULLY MOUNTED, NO GASKET
- P= INTEGRATED NBR GASKET & IP67 SCREW ASSEMBLED
- R= INTEGRATED NBR GASKET & IP67 SCREW NOT ASSEMBLED

	5	4	3	2	1
--	---	---	---	---	---

FORMAT: Met lege master-ib-prod-A2 REVISION: E DATE: 2020/1/14	13	12	11
--	----	----	----

LAST INSPECTION NUMBER 2



NOTE 2

14	13	12	11	10	9	8	7	6	5	4	3	2	1
PART No.		mPm PART No.	DESCRIPTION										
1210230229		C18209G21	TYPE A 2P PG9 GRAY, NBR PROFILE GASKET & SCREW										
1210230231		C18209G22	TYPE A 2P PG9 GRAY, NBR FLAT GASKET & SCREW										
1210230233		C18209G31	TYPE A 2P PG9 GRAY, NBR PROFILE GASKET & SCREW										
-			-										
1210230238		C18209N21	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230242		C18209N22	TYPE A 2P PG9 BLACK, NBR FLAT GASKET & SCREW										
1210230244		C18209N23	TYPE A 2P PG9 BLACK, WHITE SILICONE PROFILE GASKET & SCREW										
1210230245		C18209N24	TYPE A 2P PG9 BLACK, WHITE SILICONE FLAT GASKET & SCREW										
1210230246		C18209N25	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET, NO SCREW										
1210230249		C18209N2A	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW +2mm										
1210230251		C18209N31	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230252		C18209N61	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230253		C18209N62	TYPE A 2P PG9 BLACK, NBR FLAT GASKET & SCREW										
1210230254		C18209T21	TYPE A 2P PG9 TRANSPARENT, NBR PROFILE GASKET & SCREW										
1210230271		C18211G21	TYPE A 2P PG11 GRAY, NBR PROFILE GASKET & SCREW										
1210230278		C18211N21	TYPE A 2P PG11 BLACK, NBR PROFILE GASKET & SCREW										
1210230282		C18211N23	TYPE A 2P PG11 BLACK, WHITE SILICONE PROFILE GASKET & SCREW										
1210230283		C18211N24	TYPE A 2P PG11 BLACK, WHITE SILICONE FLAT GASKET & SCREW										
1210230284		C18211N61	TYPE A 2P PG11 BLACK, NBR PROFILE GASKET & SCREW										
1210230286		C18211T21	TYPE A 2P PG11 TRANSPARENT, NBR PROFILE GASKET & SCREW										
1210230305		C18212N21	TYPE A 2P 1/2" GAS BLACK, NBR PROFILE GASKET & SCREW										
1210230315		C18213G21	TYPE A 2P 1/2" NPTF GRAY, NBR PROFILE GASKET & SCREW										
1210230319		C18213N21	TYPE A 2P 1/2" NPTF BLACK, NBR PROFILE GASKET & SCREW										
1210230328		C18239G21	TYPE A 2P PG9 W/STRAIN RELIEF GRAY, NBR PROFILE GASKET & SCREW										
1210230331		C18241N21	TYPE A 2P PG11 W/STRAIN RELIEF BLACK, NBR PROFILE GASKET & SCREW										
1210230336		C18309G21	TYPE A 3P PG9 GRAY, NBR PROFILE GASKET & SCREW										
1210230337		C18309G22	TYPE A 3P PG9 GRAY, NBR FLAT GASKET & SCREW										
1210230341		C18309N21	TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230345		C18309N23	TYPE A 3P PG9 BLACK, WHITE SILICONE PROFILE GASKET & SCREW										
1210230346		C18309N24	TYPE A 3P PG9 BLACK, WHITE SILICONE FLAT GASKET & SCREW										
1210230352		C18309N2G	TYPE A 3P PG9 BLACK, NO GASKET, & STANDARD SCREW										
1210230354		C18309N61	TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230356		C18309N64	TYPE A 3P PG9 BLACK, WHITE SILICONE FLAT GASKET & SCREW										
1210230358		C18309T21	TYPE A 3P PG9 TRANSPARENT, NBR PROFILE GASKET & SCREW										
1210230364		C18309W21	TYPE A 3P PG9 BLACK V0, NBR PROFILE GASKET & SCREW										
1210230367		C18309W23	TYPE A 3P PG9 BLACK V0, WHITE SILICONE PROFILE GASKET & SCREW										
1210230372		C18311G21	TYPE A 3P PG11 GRAY, NBR PROFILE GASKET & SCREW										
1210230373		C18311G22	TYPE A 3P PG11 GRAY, NBR FLAT GASKET & SCREW										
1210230374		C18311G61	TYPE A 3P PG11 GRAY, NBR PROFILE GASKET & SCREW										
1210230377		C18311N21	TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW										
1210230378		C18311N22	TYPE A 3P PG11 BLACK, NBR FLAT GASKET & SCREW										
1210230379		C18311N31	TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW										
1210230382		C18311N61	TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW										
1210230384		C18311T21	TYPE A 3P PG11 TRANSPARENT, NBR PROFILE GASKET & SCREW										
1210230388		C18311W21	TYPE A 3P PG11 BLACK V0, NBR PROFILE GASKET & SCREW										
1210230400		C18312N21	TYPE A 3P 1/2" GAS BLACK, NBR PROFILE GASKET & SCREW										
1210230401		C18312N22	TYPE A 3P 1/2" GAS BLACK, NBR FLAT GASKET & SCREW										
1210230410		C18313G21	TYPE A 3P 1/2" NPTF GRAY, NBR PROFILE GASKET & SCREW										
1210230414		C18313N21	TYPE A 3P 1/2" NPTF BLACK, NBR PROFILE GASKET & SCREW										
1210230415		C18313N22	TYPE A 3P 1/2" NPTF BLACK, NBR FLAT GASKET & SCREW										
1210230421		C18339N23	TYPE A 3P PG9 W/STRAIN RELIEF BLACK, WHITE SILICONE PROFILE GASKET & SCREW										
1210230422		C18339N2C	TYPE A 3P PG9 W/STRAIN RELIEF BLACK, WHITE SILICONE PROFILE GASKET, & SCREW +2mm										
1210230645		C183M6N21	TYPE A 3P M16x1.5 BLACK, NBR PROFILE GASKET & SCREW										
1210230656		C183M6G21	TYPE A 3P M16x1.5 GRAY, NBR PROFILE GASKET & SCREW										
1210230660		C183M0N21	TYPE A 3P M20x1.5 BLACK, NBR PROFILE GASKET & SCREW										
1210230662		C182M0N21	TYPE A 2P M20x1.5 BLACK, NBR PROFILE GASKET & SCREW										
1210230677		C182M6N21	TYPE A 2P M16x1.5 BLACK, NBR PROFILE GASKET & SCREW										
1210230704		C182M6N22	TYPE A 2P M16x1.5 BLACK, NBR FLAT GASKET & SCREW										
1210230718		C182M6G21	TYPE A 2P M16x1.5 GRAY, NBR PROFILE GASKET & SCREW										
1210230741		C183M0N2G	TYPE A 3P M20x1.5 BLACK, NO GASKET, & STANDARD SCREW										
1210230745		C18209N91	TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW										
1210230763		C18311W2G	TYPE A 3P PG11 BLACK V0, NO GASKET, & STANDARD SCREW										
1210230768		C18213T22	TYPE A 2P 1/2" NPTF TRANSPARENT, NBR FLAT GASKET & SCREW										
1210230780		C18312N23	TYPE A 3P 1/2" GAS BLACK, WHITE SILICONE PROFILE GASKET & SCREW										
1210230793		C18309N2A	TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW +2mm										

PART No.		mPm PART No.		DESCRIPTION									
1210230800		C18209G2B		TYPE A 2P PG9 GRAY, NBR FLAT GASKET, & SCREW +2mm									
1210230803		C182M0N2A		TYPE A 2P M20x1.5 BLACK, NBR PROFILE GASKET & SCREW +2mm									
1210230804		C18309N33		TYPE A 3P PG9 BLACK, WHITE SILICONE PROFILE GASKET & SCREW									
1210230807		C18309N2R		TYPE A 3P PG9 BLACK, INTEGRATED NBR GASKET & IP67 SCREW NOT ASSEMBLED									
1210230825		C182M6N2P		TYPE A 2P M16x1.5 BLACK, INTEGRATED NBR GASKET & IP67 SCREW ASSEMBLED									
1210230833		C18211G2A		TYPE A 2P PG11 GRAY, NBR PROFILE GASKET & SCREW +2mm									
1210230841		C182M0G21		TYPE A 2P M20x1.5 GRAY, NBR PROFILE GASKET & SCREW									
1210240268		C18311N2G		TYPE A 3P PG11 BLACK, NO GASKET, & STANDARD SCREW									
1210240370		C18211N2A		TYPE A 2P PG11 BLACK, NBR PROFILE GASKET & SCREW +2mm									
1210240940		C18209N20		TYPE A 2P PG9 BLACK, NO GASKET, NO SCREW									
1210240133		C18209N210H		TYPE A 2P PG9 BLACK, NBR PROFILE GASKET, STAINLESS STEEL SCREW									
1210240154		C18209N220H		TYPE A 2P PG9 BLACK, NBR FLAT GASKET, STAINLESS STEEL SCREW									
1210240378		C18311N210H		TYPE A 3P PG11 BLACK, NBR PROFILE GASKET, STAINLESS STEEL SCREW									
1210240139		C18209N2114		TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW IN NEUTRAL BAG									
1210240156		C18209N2214		TYPE A 2P PG9 BLACK, NBR FLAT GASKET & SCREW IN NEUTRAL BAG									
1210240224		C18309N2114		TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW IN NEUTRAL BAG									
1210240755		C18309N2R19		TYPE A 3P PG9 BLACK, INTEGRATED NBR GASKET & IP67 SCREW NOT ASSEMBLED W/O PIN No. 3									
1210240227		C18309N211O		TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW, WITH SPECIAL GROMMET									
1210240185		C18211G2123		TYPE A 2P PG11 GRAY, NBR PROFILE GASKET & SCREW, FULLY MOUNTED									
1210240271		C18311N614S		TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW, WITH SPECIAL GROMMET									
1210240265		C18311N215A		TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW, SINGLE BAGGED, 500 IN A BOX									
1210230350		C18309N299V		TYPE A 3P PG9 BLACK, NO GASKET, NO SCREW									
1210240167		C18209N299V		TYPE A 2P PG9 BLACK, NO GASKET, NO SCREW									
1210230232		C18209G22AF		TYPE A 2P PG9 GRAY, NBR FLAT GASKET WITH SCREW MOUNTED									
1210230243		C18209N22AF		TYPE A 2P PG9 BLACK, NBR FLAT GASKET WITH SCREW MOUNTED									
1210230274		C18211G22AF		TYPE A 2P PG11 GRAY, NBR FLAT GASKET WITH SCREW MOUNTED									
1210230281		C18211N22AF		TYPE A 2P PG11 BLACK, NBR FLAT GASKET WITH SCREW MOUNTED									
1210230648		C18309N31AF		TYPE A 3P PG9 BLACK, NBR PROFILE GASKET WITH SCREW MOUNTED									
1210230678		C183M0N31AF		TYPE A 3P M20x1.5 BLACK, NBR PROFILE GASKET WITH SCREW MOUNTED									
1210230696		C183M6N21AF		TYPE A 3P M16x1.5 BLACK, NBR PROFILE GASKET WITH SCREW MOUNTED									
1210230751		C183M6N31AF		TYPE A 3P M16x1.5 BLACK, NBR PROFILE GASKET WITH SCREW MOUNTED									
1210230801		C183M6N22AF		TYPE A 3P M16x1.5 BLACK, NBR FLAT GASKET WITH SCREW MOUNTED									
1210230767		C18311N31BM		TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW, WITH GOLD TERMINALS									
1210230728		C18209N21BS		TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW, FULLY UNMOUNTED									
1210230240		C18209N21P7		TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT									
1210230272		C18211G21P7		TYPE A 2P PG11 GRAY, NBR PROFILE GASKET IP67 COMPLIANT									
1210230279		C18211N21P7		TYPE A 2P PG11 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT									
1210230725		C18309N21P7		TYPE A 3P PG9 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT									
1210230731		C18312N21P7		TYPE A 3P 1/2" GAS BLACK, NBR PROFILE GASKET & SCREW IP67 COMPLIANT									
1210230732		C18209G21P7		TYPE A 2P PG9 GRAY, NBR PROFILE GASKET & SCREW IP67 COMPLIANT									
1210230843		C183M6N21P7		TYPE A 3P M16x1.5 BLACK, NBR PROFILE GASKET & SCREW IP67 COMPLIANT									
1210230849		C18309N2I		TYPE A 3P PG9 BLACK, BULK PACK FULLY MOUNTED, NO GASKET									
1210230739		C18311W21SA		TYPE A 3P PG11 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED									
1210230851		C182M6W21SA		TYPE A 2P M16x1.5 BLACK V0, NBR PROFILE GASKET UL LISTED									
1210230853		C18311N21P7		TYPE A 3P PG11 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT									
1210230854		C18309W2PSA14		TYPE A 3P PG9 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED, IP67 COMPLIANT, SINGLE BAGGED									
1210230855		C183M0W31AFSA		TYPE A 3P M20x1.5 BLACK V0, NBR PROFILE GASKET WITH SCREW MOUNTED, UL LISTED									
1210230657		C18309W21SA		TYPE A 3P PG9 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED									
1210230809		C18211W21SA		TYPE A 2P PG11 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED									
1210230861		C18211W23SA		TYPE A 2P PG11 BLACK V0, WHITE SILICONE PROFILE GASKET & SCREW, UL LISTED									
1210230344		C18309N22		TYPE A 3P PG9 BLACK PA6, H12, NBR FLAT GASKET & SCREW									
1210230862		C18313T22		TYPE A 3P 1/2" NPTF TRANSPARENT, NBR FLAT GASKET & SCREW									
1210230870		C18309G21SA		TYPE A 3P PG9 GRAY, NBR PROFILE GASKET & SCREW, UL LISTED									
1210230674		C18209W21SA		TYPE A 2P PG9 BLACK, NBR PROFILE GASKET & SCREW, UL LISTED									

PRE-RELEASE
REFERENCE
USE ONLY

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETED PART NUMBER				molex C18 SERIES INTERNAL THREAD							
mm		2:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 651926 DRWN: ABHISP1 CHK'D: GGA APPR: GGA 2020/12/02 2020/12/29 2020/12/29											
	MM	INCH													
4 PLACES	±		±												
3 PLACES	±		±												
2 PLACES	±	0.1	±												
1 PLACE	±	0.2	±	INITIAL REVISION: DRWN: JOCONNOR APPR: EFOLAN 2011/05/04 2011/05/24				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES	±		±					SD-121023-001		PSD	001	P			
ANGULAR TOL ± °				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A2-SIZE		121023		SEE TABLE		GENERAL MARKET		2 OF 2	

DOCUMENT STATUS	P1	RELEASE DATE	2020/12/29	10:22:15
13		12		11
			10	
			9	
			8	
			7	
			6	
			5	
			4	
			3	
			2	
			1	