

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	2	ADD HOLE IN CORNER	01SEP2016	VL	SS
	A	DRAWING RELEASED	21APR2017	VL	SS
	A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS
	A2	REVISED PER ECO-17-013857	21SEP2017	SS	HL





SCALE 2:1

NOTES:

1. MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
2. STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
3. PARTS TO BE FREE OF OIL AND CONTAMINENTS.
4. PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
5. REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
6. PACKAGING: TAPE AND REEL

6	2118720-2
PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ±0.20 1 PLC ±0.15 2 PLC ±0.10 3 PLC ±- 4 PLC ±- ANGLES ±2
MATERIAL 1 -	FINISH 1 -

DWN	V. LAC 08APR2016
CHK	S. SU 21APR2017
APVD	V. LAC 21APR2017
PRODUCT SPEC	108-19493
APPLICATION SPEC	114-115014
WEIGHT	-

TE Connectivity

NAME STANDARD SHIELD FRAME


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	C-2118720	-

CUSTOMER DRAWING | SCALE 3:1 | SHEET 1 OF 3 | REV A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED BOARD
FOOT PRINT LAYOUT

SCALE 4:1

NOTES:

7. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.20
1 PLC	±0.15
2 PLC	±0.10
3 PLC	±-
4 PLC	±-
ANGLES	±2

MATERIAL: -

FINISH: -

DWN	V. LAC	08APR2016
CHK	S. SU	21APR2017
APVD	V. LAC	21APR2017

PRODUCT SPEC: 108-19493

APPLICATION SPEC: 114-115014

WEIGHT: -

CUSTOMER DRAWING

TE Connectivity

NAME: STANDARD SHIELD FRAME


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	C-2118720	-


SCALE 3:1 SHEET 2 OF 3 REV A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





B-B

USER DIRECTION OF UNREELING



NOTES:

8. REEL SIZE: O.D. 380mm, I.D. 180mm
9. QTY PER REEL: 166PCS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.20
1 PLC	±0.15
2 PLC	±0.10
3 PLC	±-
4 PLC	±-
ANGLES	±2

MATERIAL: -

FINISH: -

DWN	V. LAC	08APR2016
CHK	S. SU	21APR2017
APVD	V. LAC	21APR2017
PRODUCT SPEC	108-19493	
APPLICATION SPEC	114-115014	
WEIGHT	-	

TE Connectivity

NAME STANDARD SHIELD FRAME

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	C-2118720	-

CUSTOMER DRAWING

SCALE	SHEET	REV
3:1	3 OF 3	A2