

03

038199


Circular connectors with threaded joint M16 acc. to IEC 61076-2-106, IP40/IP67/IP68



Protecting cap, IP68, for sockets, without chain

03

038199



#### Environmental conditions

Temperature range -40 °C/+85 °C

#### Materials

Cap CuZn, nickel-plated  
Chain CuZn, pre-nickel and verchromt

#### Mechanical data

Protection class IP68<sup>1</sup>

<sup>1</sup> according to IEC DIN EN 60529, only in locked condition with an appropriate counterpart; IPX8 requirements under agreement between manufacturer and user

#### Associated products

##### Accessories

<a href="#">030398</a>	<a href="#">0304</a>	<a href="#">0304-1</a>
<a href="#">0304-2</a>	<a href="#">0305</a>	<a href="#">0305-1</a>
<a href="#">0305-1 U</a>	<a href="#">0305-2</a>	<a href="#">0306</a>
<a href="#">0306-1</a>	<a href="#">0306-2</a>	<a href="#">0307</a>
<a href="#">0307-1</a>	<a href="#">0307-2</a>	<a href="#">030798-1</a>
<a href="#">030798-2</a>	<a href="#">030799-2</a>	<a href="#">0308</a>
<a href="#">0308-1</a>	<a href="#">0308-2</a>	<a href="#">0321</a>
<a href="#">0322</a>	<a href="#">0322-1</a>	<a href="#">032200</a>
<a href="#">0360</a>	<a href="#">036000</a>	<a href="#">0362</a>
<a href="#">036297</a>	<a href="#">0363</a>	<a href="#">KFR</a>
<a href="#">KfV</a>	<a href="#">KGR</a>	<a href="#">KGV</a>
<a href="#">KV</a>	<a href="#">KV ...-8</a>	<a href="#">WKV</a>

03

038199

Designation	Pole Number	PU (Pieces)	MDQ (Pieces)
038199	-	50	100

**Packaging:**

in a cardboard box