

2.4mm Male to 2.4mm Female Cable18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE35654-18

Configuration

Connector 1: 2.4mm MaleConnector 2: 2.4mm Female

· Cable Type: RG405

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		40	GHz
VSWR			1.4:1	

Specifications by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency	2.5	5	20	30	40	GHz
Insertion Loss (Max.)	0.58	0.9	2.18	2.82	3.3	dB

Mechanical Specifications

Cable Assembly

 Length
 18 in [457.2 mm]

 Diameter
 0.33 in [8.38 mm]

 Weight
 0.044 lbs [19.96 g]

Cable

Cable Type RG405
Impedance 50 Ohms
Inner Conductor Type Solid

Inner Conductor Material and Plating Copper Clad Steel, Silver

Dielectric Type PTFE
Number of Shields 1
Shield Layer 1 Copper

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax PE35654-18



© 2016 Pasternack Enterprises All Rights Reserved



2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE35654-18

Connectors

Description	Connector 1	Connector 2 2.4mm Female		
Туре	2.4mm Male			
Impedance	50 Ohms	50 Ohms		
Contact Material and Plating	Beryllium Copper, Gold	Beryllium Copper, Gold		
Contact Plating Specification	MIL-G-45204, Type II, Class 1	MIL-G-45204, Type II, Class		
Dielectric Type	PPO	PPO		
Coupling Nut Material and Plating	Passivated Stainless Steel			
Coupling Nut Plating Specification	SAE-AMS-2700			
Hex Size	5/16 in.			
Torque	8 in-lbs [0.9 Nm]			
Body Material and Plating	Passivated Stainless Steel	Passivated Stainless Steel		
Body Plating Specification	ASTM B689	QQ-P-35		

Compliance Certifications (visit www.Pasternack.com for current document)

For RoHS Compliant version, use PE35654LF-18. Contact Pasternack if product cannot be found. **REACH Compliant** 12/19/2011

Plotted and Other Data

Notes:

· Values at 25°C, sea level.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax PE35654-18



ISO 9001: 2008 Registered



2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax



RF Cable Assemblies Technical Data Sheet

PE35654-18

How to Order

Part Number Configuration:

PE35654 - xx uu

Unit of Measure:
cm = Centimeters

Length
Base Number

Example: PE35654-12 = 12 inches long cable

PE35654-100cm = 100 cm long cable

2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax PE35654-18

URL: http://www.pasternack.com/2.4mm-male-2.4mm-female-rg405u-cable-assembly-pe35654-18-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.



© 2016 Pasternack Enterprises All Rights Reserved

PE35654-18 CAD Drawing2.4mm Male to 2.4mm Female Cable 18 Inch Length Using RG405 Coax

