

TS-UP Series 85°C, 3000 hours

- Compact size for general purpose and industrial applications
- 2 and 3 pin versions available
- 20mm lengths for low profile applications



| | | |
|---|--|--|
| Rated Working Voltage: | 16 ~ 250 VDC | 350 ~ 500 VDC |
| Operating Temperature: | -40 ~ +85°C | -25 ~ +85°C |
| Nominal Capacitance: | 120 ~ 68000µF | 33 ~ 820µF |
| Capacitance Tolerance: | ± 20% | |
| Dissipation Factor: (120 Hz, +20°C) | Working Voltage [V]: | 16 25 35 50 63 80 100 160 ~ 500 |
| | Max. D.F. (%): | 50 40 35 30 25 20 20 15 |
| For capacitance values > 33000µF, add the value of: $\frac{(\text{rated cap. } [\mu\text{F}] - 33000)}{1000}$ | | |
| Leakage Current: | 3√CV (µA) max. after 5 minutes; C = Capacitance in µF, V = WV | |
| Ripple Current Multipliers: | Frequency(Hz): | 50 60 100~120 500 1k 10k |
| | 16~100WV: | 0.93 0.95 1.0 1.05 1.08 1.15 |
| | 160~450WV: | 0.75 0.8 1.0 1.2 1.25 1.4 |
| Ripple Current Ambient Temperature Factors** | | |
| Temperature (°C): 85°C 70°C 60°C ≤45°C | | |
| Multiplier: 1.0 1.3 1.4 1.5 | | |
| Endurance: | 3000 hours* at +85°C with maximum specified ripple current (see page 4) *2000 hours for 20mm length sizes | |

**Use of temperature ripple current multipliers may limit life to the hours specified for the maximum operating temperature.

Part Number System

ECOS **P** **Capacitance Code** **Suffix**

| | |
|----------|---------------------|
| A | Standard Ratings |
| X | Extended CV Ratings |
| L | 20mm Length Ratings |

Terminal Style

| Prefix | Length | # of Pins |
|--------|--------|-----------|
| ECOS | 6.3mm | 2 |
| ECEC | 4.0mm | 2 |
| ECE3 | 4.0mm | 3 |

Voltage Code


| | | | | | | | | | | | | | | | |
|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1C | 1E | 1V | 1H | 1J | 1K | 2A | 2C | 2D | 2E | 2V | 2T | 2G | 2S | 2W | 2H |
| 16 | 25 | 35 | 50 | 63 | 80 | 100 | 160 | 200 | 250 | 350 | 385 | 400 | 420 | 450 | 500 |

Diameter

| Diameter | Code |
|----------|------|
| 22 | B |
| 25 | C |
| 30 | D |
| 35 | E |

RoHS compliant PVC sleeve and top plate is standard. PET sleeve is available without top plate.

Dimensions in millimeters



Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use. When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|-------------------------------------|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 16 VDC Working, 20 VDC Surge | | | | | | | |
| 4700 | 22 x 20 | 1.60 | 1.84 | 0.159 | 0.135 | ECOS1CP472BL | ECEC1CP472BL |
| | 22 x 25 | 1.77 | 2.04 | 0.159 | 0.135 | ECOS1CP472BA | ECEC1CP472BA |
| 6800 | 22 x 25 | 2.57 | 2.96 | 0.110 | 0.093 | ECOS1CP682BA | ECEC1CP682BA |
| | 25 x 20 | 1.80 | 2.07 | 0.110 | 0.093 | ECOS1CP682CL | ECEC1CP682CL |
| 8200 | 22 x 25 | 3.10 | 3.57 | 0.091 | 0.077 | ECOS1CP822BA | ECEC1CP822BA |
| 10000 | 22 x 30 | 3.78 | 4.35 | 0.075 | 0.063 | ECOS1CP103BA | ECEC1CP103BA |
| | 25 x 25 | 3.78 | 4.35 | 0.075 | 0.063 | ECOS1CP103CA | ECEC1CP103CA |
| | 30 x 20 | 2.40 | 2.76 | 0.083 | 0.070 | ECOS1CP103DL | ECEC1CP103DL |
| 12000 | 22 x 30 | 4.52 | 5.20 | 0.062 | 0.053 | ECOS1CP123BA | ECEC1CP123BA |
| | 25 x 25 | 4.52 | 5.20 | 0.062 | 0.053 | ECOS1CP123CA | ECEC1CP123CA |
| 15000 | 22 x 35 | 5.26 | 6.05 | 0.053 | 0.045 | ECOS1CP153BA | ECEC1CP153BA |
| | 25 x 30 | 5.26 | 6.05 | 0.053 | 0.045 | ECOS1CP153CA | ECEC1CP153CA |
| | 35 x 20 | 3.20 | 3.68 | 0.055 | 0.047 | ECOS1CP153EL | ECEC1CP153EL |
| 18000 | 22 x 40 | 5.57 | 6.41 | 0.046 | 0.039 | ECOS1CP183BA | ECEC1CP183BA |
| | 25 x 30 | 5.57 | 6.41 | 0.046 | 0.039 | ECOS1CP183CA | ECEC1CP183CA |
| 22000 | 22 x 45 | 6.10 | 7.02 | 0.038 | 0.032 | ECOS1CP223BA | ECEC1CP223BA |
| | 25 x 35 | 6.10 | 7.02 | 0.038 | 0.032 | ECOS1CP223CA | ECEC1CP223CA |
| | 30 x 30 | 6.10 | 7.02 | 0.038 | 0.032 | ECOS1CP223DA | ECEC1CP223DA |
| 27000 | 25 x 45 | 6.31 | 7.26 | 0.031 | 0.026 | ECOS1CP273CA | ECEC1CP273CA |
| | 30 x 35 | 6.31 | 7.26 | 0.031 | 0.026 | ECOS1CP273DA | ECEC1CP273DA |
| 33000 | 25 x 50 | 6.84 | 7.87 | 0.025 | 0.021 | ECOS1CP333CA | ECEC1CP333CA |
| | 30 x 40 | 6.84 | 7.87 | 0.025 | 0.021 | ECOS1CP333DA | ECEC1CP333DA |
| | 35 x 30 | 6.84 | 7.87 | 0.025 | 0.021 | ECOS1CP333EA | ECEC1CP333EA |
| 39000 | 30 x 45 | 6.94 | 7.98 | 0.021 | 0.018 | ECOS1CP393DA | ECEC1CP393DA |
| | 35 x 35 | 6.94 | 7.98 | 0.021 | 0.018 | ECOS1CP393EA | ECEC1CP393EA |
| 47000 | 30 x 50 | 7.47 | 8.59 | 0.019 | 0.017 | ECOS1CP473DA | ECEC1CP473DA |
| | 35 x 40 | 7.47 | 8.59 | 0.021 | 0.019 | ECOS1CP473EA | ECEC1CP473EA |
| 56000 | 35 x 45 | 8.73 | 10.04 | 0.019 | 0.018 | ECOS1CP563EA | ECEC1CP563EA |
| 68000 | 35 x 50 | 9.05 | 10.41 | 0.018 | 0.017 | ECOS1CP683EA | ECEC1CP683EA |
| 25 VDC Working, 32 VDC Surge | | | | | | | |
| 3300 | 22 x 20 | 1.60 | 1.84 | 0.176 | 0.141 | ECOS1EP332BL | ECEC1EP332BL |
| | 22 x 25 | 1.68 | 1.93 | 0.161 | 0.129 | ECOS1EP332BA | ECEC1EP332BA |
| 4700 | 22 x 25 | 2.39 | 2.75 | 0.113 | 0.090 | ECOS1EP472BA | ECEC1EP472BA |
| | 25 x 20 | 1.80 | 2.07 | 0.123 | 0.099 | ECOS1EP472CL | ECEC1EP472CL |
| 5600 | 22 x 25 | 2.86 | 3.29 | 0.095 | 0.076 | ECOS1EP562BA | ECEC1EP562BA |
| 6800 | 22 x 30 | 3.47 | 3.99 | 0.078 | 0.062 | ECOS1EP682BA | ECEC1EP682BA |
| | 25 x 25 | 3.47 | 3.99 | 0.078 | 0.062 | ECOS1EP682CA | ECEC1EP682CA |
| | 30 x 20 | 2.30 | 2.65 | 0.078 | 0.062 | ECOS1EP682DL | ECEC1EP682DL |
| 8200 | 22 x 30 | 3.57 | 4.11 | 0.065 | 0.052 | ECOS1EP822BA | ECEC1EP822BA |
| | 25 x 25 | 3.57 | 4.11 | 0.065 | 0.052 | ECOS1EP822CA | ECEC1EP822CA |
| 10000 | 22 x 35 | 3.78 | 4.35 | 0.058 | 0.046 | ECOS1EP103BA | ECEC1EP103BA |
| | 25 x 30 | 3.78 | 4.35 | 0.058 | 0.046 | ECOS1EP103CA | ECEC1EP103CA |
| | 30 x 25 | 3.78 | 4.35 | 0.058 | 0.046 | ECOS1EP103DA | ECEC1EP103DA |
| | 35 x 20 | 2.70 | 3.11 | 0.061 | 0.049 | ECOS1EP103EL | ECEC1EP103EL |
| 12000 | 22 x 40 | 4.10 | 4.72 | 0.048 | 0.039 | ECOS1EP123BA | ECEC1EP123BA |
| | 25 x 35 | 4.10 | 4.72 | 0.048 | 0.039 | ECOS1EP123CA | ECEC1EP123CA |
| | 30 x 30 | 4.10 | 4.72 | 0.048 | 0.039 | ECOS1EP123DA | ECEC1EP123DA |
| 15000 | 22 x 50 | 4.63 | 5.32 | 0.039 | 0.031 | ECOS1EP153BA | ECEC1EP153BA |
| | 25 x 40 | 4.63 | 5.32 | 0.039 | 0.031 | ECOS1EP153CA | ECEC1EP153CA |
| | 30 x 30 | 4.63 | 5.32 | 0.039 | 0.031 | ECOS1EP153DA | ECEC1EP153DA |
| 18000 | 25 x 45 | 5.47 | 6.29 | 0.035 | 0.028 | ECOS1EP183CA | ECEC1EP183CA |
| | 30 x 35 | 5.47 | 6.29 | 0.035 | 0.028 | ECOS1EP183DA | ECEC1EP183DA |
| 22000 | 25 x 50 | 6.10 | 7.02 | 0.029 | 0.023 | ECOS1EP223CA | ECEC1EP223CA |
| | 30 x 40 | 6.10 | 7.02 | 0.029 | 0.023 | ECOS1EP223DA | ECEC1EP223DA |
| 27000 | 30 x 45 | 6.21 | 7.14 | 0.023 | 0.019 | ECOS1EP273DA | ECEC1EP273DA |
| | 35 x 35 | 6.21 | 7.14 | 0.025 | 0.020 | ECOS1EP273EA | ECEC1EP273EA |
| 33000 | 30 x 50 | 6.84 | 7.87 | 0.020 | 0.017 | ECOS1EP333DA | ECEC1EP333DA |
| | 35 x 40 | 6.84 | 7.87 | 0.020 | 0.017 | ECOS1EP333EA | ECEC1EP333EA |
| 39000 | 35 x 45 | 7.36 | 8.46 | 0.019 | 0.017 | ECOS1EP393EA | ECEC1EP393EA |
| 47000 | 35 x 50 | 8.00 | 9.20 | 0.017 | 0.015 | ECOS1EP473EA | ECEC1EP473EA |
| 35 VDC Working, 44 VDC Surge | | | | | | | |
| 2200 | 22 x 20 | 1.40 | 1.61 | 0.181 | 0.136 | ECOS1VP222BL | ECEC1VP222BL |
| | 22 x 25 | 1.52 | 1.75 | 0.166 | 0.124 | ECOS1VP222BA | ECEC1VP222BA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 35 VDC Working, 44 VDC Surge (continued) | | | | | | | |
| 3300 | 22 x 25 | 2.29 | 2.63 | 0.111 | 0.083 | ECOS1VP332BA | ECEC1VP332BA |
| | 25 x 20 | 1.70 | 1.96 | 0.121 | 0.090 | ECOS1VP332CL | ECEC1VP332CL |
| 3900 | 22 x 25 | 2.71 | 3.12 | 0.094 | 0.070 | ECOS1VP392BA | ECEC1VP392BA |
| 4700 | 22 x 30 | 3.26 | 3.75 | 0.078 | 0.058 | ECOS1VP472BA | ECEC1VP472BA |
| | 25 x 25 | 3.26 | 3.75 | 0.078 | 0.058 | ECOS1VP472CA | ECEC1VP472CA |
| | 30 x 20 | 2.00 | 2.30 | 0.088 | 0.066 | ECOS1VP472DL | ECEC1VP472DL |
| 5600 | 22 x 30 | 3.36 | 3.86 | 0.080 | 0.060 | ECOS1VP562BA | ECEC1VP562BA |
| | 25 x 25 | 3.36 | 3.86 | 0.080 | 0.060 | ECOS1VP562CA | ECEC1VP562CA |
| 6800 | 22 x 35 | 3.68 | 4.23 | 0.066 | 0.049 | ECOS1VP682BA | ECEC1VP682BA |
| | 25 x 30 | 3.68 | 4.23 | 0.066 | 0.049 | ECOS1VP682CA | ECEC1VP682CA |
| | 35 x 20 | 2.40 | 2.76 | 0.071 | 0.053 | ECOS1VP682EL | ECEC1VP682EL |
| 8200 | 22 x 40 | 4.00 | 4.60 | 0.057 | 0.042 | ECOS1VP822BA | ECEC1VP822BA |
| | 25 x 35 | 4.00 | 4.60 | 0.057 | 0.042 | ECOS1VP822CA | ECEC1VP822CA |
| 10000 | 22 x 45 | 4.42 | 5.08 | 0.050 | 0.037 | ECOS1VP103BA | ECEC1VP103BA |
| | 25 x 40 | 4.42 | 5.08 | 0.050 | 0.037 | ECOS1VP103CA | ECEC1VP103CA |
| | 30 x 30 | 4.42 | 5.08 | 0.050 | 0.037 | ECOS1VP103DA | ECEC1VP103DA |
| | 35 x 25 | 4.42 | 5.08 | 0.050 | 0.037 | ECOS1VP103EA | ECEC1VP103EA |
| 12000 | 25 x 45 | 5.05 | 5.81 | 0.044 | 0.033 | ECOS1VP123CA | ECEC1VP123CA |
| | 30 x 35 | 5.05 | 5.81 | 0.044 | 0.033 | ECOS1VP123DA | ECEC1VP123DA |
| | 35 x 30 | 5.05 | 5.81 | 0.044 | 0.033 | ECOS1VP123EA | ECEC1VP123EA |
| 15000 | 25 x 50 | 5.57 | 6.41 | 0.036 | 0.027 | ECOS1VP153CA | ECEC1VP153CA |
| | 30 x 40 | 5.57 | 6.41 | 0.036 | 0.027 | ECOS1VP153DA | ECEC1VP153DA |
| | 35 x 30 | 5.57 | 6.41 | 0.036 | 0.027 | ECOS1VP153EA | ECEC1VP153EA |
| 18000 | 30 x 45 | 5.68 | 6.53 | 0.030 | 0.023 | ECOS1VP183DA | ECEC1VP183DA |
| | 35 x 35 | 5.68 | 6.53 | 0.030 | 0.023 | ECOS1VP183EA | ECEC1VP183EA |
| 22000 | 30 x 50 | 6.10 | 7.02 | 0.026 | 0.020 | ECOS1VP223DA | ECEC1VP223DA |
| | 35 x 40 | 6.10 | 7.02 | 0.026 | 0.020 | ECOS1VP223EA | ECEC1VP223EA |
| 27000 | 35 x 45 | 6.84 | 7.87 | 0.021 | 0.017 | ECOS1VP273EA | ECEC1VP273EA |
| 33000 | 35 x 50 | 7.15 | 8.22 | 0.018 | 0.014 | ECOS1VP333EA | ECEC1VP333EA |
| 50 VDC Working, 63 VDC Surge | | | | | | | |
| 1500 | 22 x 20 | 1.20 | 1.38 | 0.254 | 0.191 | ECOS1HP152BL | ECEC1HP152BL |
| | 22 x 25 | 1.24 | 1.43 | 0.221 | 0.166 | ECOS1HP152BA | ECEC1HP152BA |
| 2200 | 22 x 25 | 1.82 | 2.09 | 0.151 | 0.113 | ECOS1HP222BA | ECEC1HP222BA |
| | 25 x 20 | 1.40 | 1.61 | 0.173 | 0.130 | ECOS1HP222CL | ECEC1HP222CL |
| 2700 | 22 x 25 | 2.23 | 2.56 | 0.123 | 0.092 | ECOS1HP272BA | ECEC1HP272BA |
| 3300 | 22 x 30 | 2.73 | 3.14 | 0.100 | 0.075 | ECOS1HP332BA | ECEC1HP332BA |
| | 25 x 25 | 2.73 | 3.14 | 0.100 | 0.075 | ECOS1HP332CA | ECEC1HP332CA |
| | 30 x 20 | 1.70 | 1.96 | 0.116 | 0.087 | ECOS1HP332DL | ECEC1HP332DL |
| 3900 | 22 x 30 | 2.75 | 3.16 | 0.085 | 0.064 | ECOS1HP392BA | ECEC1HP392BA |
| | 25 x 25 | 2.75 | 3.16 | 0.085 | 0.064 | ECOS1HP392CA | ECEC1HP392CA |
| 4700 | 22 x 35 | 3.03 | 3.48 | 0.071 | 0.053 | ECOS1HP472BA | ECEC1HP472BA |
| | 25 x 30 | 3.03 | 3.48 | 0.071 | 0.053 | ECOS1HP472CA | ECEC1HP472CA |
| | 30 x 25 | 3.03 | 3.48 | 0.071 | 0.053 | ECOS1HP472DA | ECEC1HP472DA |
| | 35 x 20 | 2.10 | 2.42 | 0.081 | 0.061 | ECOS1HP472EL | ECEC1HP472EL |
| 5600 | 22 x 40 | 3.42 | 3.93 | 0.059 | 0.044 | ECOS1HP562BA | ECEC1HP562BA |
| | 25 x 35 | 3.42 | 3.93 | 0.059 | 0.044 | ECOS1HP562CA | ECEC1HP562CA |
| | 30 x 30 | 3.42 | 3.93 | 0.059 | 0.044 | ECOS1HP562DA | ECEC1HP562DA |
| 6800 | 22 x 50 | 3.85 | 4.43 | 0.049 | 0.037 | ECOS1HP682BA | ECEC1HP682BA |
| | 25 x 40 | 3.85 | 4.43 | 0.049 | 0.037 | ECOS1HP682CA | ECEC1HP682CA |
| | 30 x 30 | 3.85 | 4.43 | 0.049 | 0.037 | ECOS1HP682DA | ECEC1HP682DA |
| 8200 | 25 x 45 | 4.41 | 5.07 | 0.040 | 0.030 | ECOS1HP822CA | ECEC1HP822CA |
| | 30 x 35 | 4.41 | 5.07 | 0.040 | 0.030 | ECOS1HP822DA | ECEC1HP822DA |
| 10000 | 25 x 50 | 4.97 | 5.72 | 0.036 | 0.027 | ECOS1HP103CA | ECEC1HP103CA |
| | 30 x 40 | 4.97 | 5.72 | 0.036 | 0.027 | ECOS1HP103DA | ECEC1HP103DA |
| | 35 x 30 | 4.97 | 5.72 | 0.036 | 0.027 | ECOS1HP103EA | ECEC1HP103EA |
| 12000 | 30 x 45 | 5.58 | 6.42 | 0.032 | 0.024 | ECOS1HP123DA | ECEC1HP123DA |
| | 35 x 35 | 5.58 | 6.42 | 0.032 | 0.024 | ECOS1HP123EA | ECEC1HP123EA |
| 15000 | 30 x 50 | 6.44 | 7.41 | 0.028 | 0.021 | ECOS1HP153DA | ECEC1HP153DA |
| | 35 x 40 | 6.44 | 7.41 | 0.028 | 0.021 | ECOS1HP153EA | ECEC1HP153EA |
| 18000 | 35 x 45 | 6.94 | 7.98 | 0.023 | 0.018 | ECOS1HP183EA | ECEC1HP183EA |
| 22000 | 35 x 50 | 7.57 | 8.71 | 0.021 | 0.017 | ECOS1HP223EA | ECEC1HP223EA |
| 63 VDC Working, 79 VDC Surge | | | | | | | |
| 1000 | 22 x 20 | 1.20 | 1.38 | 0.381 | 0.286 | ECOS1JP102BL | ECEC1JP102BL |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|--|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 63 VDC Working, 79 VDC Surge (continued) | | | | | | | |
| 1000 | 22 x 25 | 1.20 | 1.38 | 0.332 | 0.249 | ECOS1JP102BA | ECEC1JP102BA |
| 1500 | 22 x 25 | 1.72 | 1.98 | 0.221 | 0.166 | ECOS1JP152BA | ECEC1JP152BA |
| | 25 x 20 | 1.30 | 1.50 | 0.254 | 0.191 | ECOS1JP152CL | ECEC1JP152CL |
| 1800 | 22 x 25 | 2.06 | 2.37 | 0.184 | 0.138 | ECOS1JP182BA | ECEC1JP182BA |
| 2200 | 22 x 30 | 2.52 | 2.90 | 0.151 | 0.113 | ECOS1JP222BA | ECEC1JP222BA |
| | 25 x 25 | 2.52 | 2.90 | 0.151 | 0.113 | ECOS1JP222CA | ECEC1JP222CA |
| | 30 x 20 | 1.50 | 1.73 | 0.173 | 0.130 | ECOS1JP222DL | ECEC1JP222DL |
| 2700 | 22 x 35 | 3.73 | 4.29 | 0.123 | 0.092 | ECOS1JP272BA | ECEC1JP272BA |
| | 25 x 30 | 3.73 | 4.29 | 0.123 | 0.092 | ECOS1JP272CA | ECEC1JP272CA |
| 3300 | 22 x 40 | 4.10 | 4.72 | 0.105 | 0.079 | ECOS1JP332BA | ECEC1JP332BA |
| | 25 x 30 | 4.10 | 4.72 | 0.105 | 0.079 | ECOS1JP332CA | ECEC1JP332CA |
| | 30 x 25 | 4.10 | 4.72 | 0.105 | 0.079 | ECOS1JP332DA | ECEC1JP332DA |
| | 35 x 20 | 1.70 | 1.96 | 0.126 | 0.094 | ECOS1JP332EL | ECEC1JP332EL |
| 3900 | 22 x 45 | 4.44 | 5.11 | 0.098 | 0.073 | ECOS1JP392BA | ECEC1JP392BA |
| | 25 x 35 | 4.44 | 5.11 | 0.098 | 0.073 | ECOS1JP392CA | ECEC1JP392CA |
| | 30 x 30 | 4.44 | 5.11 | 0.098 | 0.073 | ECOS1JP392DA | ECEC1JP392DA |
| 4700 | 22 x 50 | 4.86 | 5.59 | 0.081 | 0.061 | ECOS1JP472BA | ECEC1JP472BA |
| | 25 x 40 | 4.86 | 5.59 | 0.081 | 0.061 | ECOS1JP472CA | ECEC1JP472CA |
| | 30 x 30 | 4.86 | 5.59 | 0.081 | 0.061 | ECOS1JP472DA | ECEC1JP472DA |
| | 35 x 25 | 4.86 | 5.59 | 0.081 | 0.061 | ECOS1JP472EA | ECEC1JP472EA |
| 5600 | 25 x 45 | 5.36 | 6.16 | 0.068 | 0.051 | ECOS1JP562CA | ECEC1JP562CA |
| | 30 x 35 | 5.36 | 6.16 | 0.068 | 0.051 | ECOS1JP562DA | ECEC1JP562DA |
| | 35 x 30 | 5.36 | 6.16 | 0.068 | 0.051 | ECOS1JP562EA | ECEC1JP562EA |
| 6800 | 25 x 50 | 5.84 | 6.72 | 0.061 | 0.046 | ECOS1JP682CA | ECEC1JP682CA |
| | 30 x 40 | 5.84 | 6.72 | 0.061 | 0.046 | ECOS1JP682DA | ECEC1JP682DA |
| | 35 x 30 | 5.84 | 6.72 | 0.061 | 0.046 | ECOS1JP682EA | ECEC1JP682EA |
| 8200 | 30 x 45 | 6.00 | 6.90 | 0.051 | 0.038 | ECOS1JP822DA | ECEC1JP822DA |
| | 35 x 35 | 6.00 | 6.90 | 0.051 | 0.038 | ECOS1JP822EA | ECEC1JP822EA |
| 10000 | 35 x 40 | 6.52 | 7.50 | 0.041 | 0.033 | ECOS1JP103EA | ECEC1JP103EA |
| 12000 | 35 x 50 | 7.15 | 8.22 | 0.035 | 0.028 | ECOS1JP123EA | ECEC1JP123EA |
| 80 VDC Working, 105 VDC Surge (continued) | | | | | | | |
| 680 | 22 x 20 | 1.00 | 1.15 | 0.439 | 0.329 | ECOS1KP681BL | ECEC1KP681BL |
| | 22 x 25 | 1.02 | 1.17 | 0.390 | 0.293 | ECOS1KP681BA | ECEC1KP681BA |
| 1000 | 22 x 25 | 1.51 | 1.74 | 0.265 | 0.199 | ECOS1KP102BA | ECEC1KP102BA |
| | 25 x 20 | 1.20 | 1.38 | 0.298 | 0.224 | ECOS1KP102CL | ECEC1KP102CL |
| 1200 | 22 x 25 | 1.81 | 2.08 | 0.221 | 0.166 | ECOS1KP122BA | ECEC1KP122BA |
| 1500 | 22 x 30 | 2.26 | 2.60 | 0.177 | 0.133 | ECOS1KP152BA | ECEC1KP152BA |
| | 25 x 25 | 2.26 | 2.60 | 0.177 | 0.133 | ECOS1KP152CA | ECEC1KP152CA |
| | 30 x 20 | 1.40 | 1.61 | 0.199 | 0.149 | ECOS1KP152DL | ECEC1KP152DL |
| 1800 | 22 x 35 | 2.52 | 2.90 | 0.147 | 0.111 | ECOS1KP182BA | ECEC1KP182BA |
| | 25 x 30 | 2.52 | 2.90 | 0.147 | 0.111 | ECOS1KP182CA | ECEC1KP182CA |
| 2200 | 22 x 40 | 2.73 | 3.14 | 0.121 | 0.090 | ECOS1KP222BA | ECEC1KP222BA |
| | 25 x 30 | 2.73 | 3.14 | 0.121 | 0.090 | ECOS1KP222CA | ECEC1KP222CA |
| | 30 x 25 | 2.73 | 3.14 | 0.121 | 0.090 | ECOS1KP222DA | ECEC1KP222DA |
| | 35 x 20 | 1.70 | 1.96 | 0.136 | 0.102 | ECOS1KP222EL | ECEC1KP222EL |
| 2700 | 22 x 45 | 2.78 | 3.20 | 0.098 | 0.074 | ECOS1KP272BA | ECEC1KP272BA |
| | 25 x 35 | 2.78 | 3.20 | 0.098 | 0.074 | ECOS1KP272CA | ECEC1KP272CA |
| | 30 x 30 | 2.78 | 3.20 | 0.098 | 0.074 | ECOS1KP272DA | ECEC1KP272DA |
| 3300 | 22 x 50 | 3.21 | 3.69 | 0.085 | 0.064 | ECOS1KP332BA | ECEC1KP332BA |
| | 25 x 40 | 3.21 | 3.69 | 0.085 | 0.064 | ECOS1KP332CA | ECEC1KP332CA |
| | 30 x 30 | 3.21 | 3.69 | 0.085 | 0.064 | ECOS1KP332DA | ECEC1KP332DA |
| 3900 | 25 x 45 | 3.59 | 4.13 | 0.077 | 0.057 | ECOS1KP392CA | ECEC1KP392CA |
| | 30 x 35 | 3.59 | 4.13 | 0.077 | 0.057 | ECOS1KP392DA | ECEC1KP392DA |
| 4700 | 25 x 50 | 4.09 | 4.70 | 0.063 | 0.048 | ECOS1KP472CA | ECEC1KP472CA |
| | 30 x 40 | 4.09 | 4.70 | 0.063 | 0.048 | ECOS1KP472DA | ECEC1KP472DA |
| 5600 | 30 x 45 | 4.55 | 5.23 | 0.056 | 0.042 | ECOS1KP562DA | ECEC1KP562DA |
| | 35 x 35 | 4.55 | 5.23 | 0.056 | 0.042 | ECOS1KP562EA | ECEC1KP562EA |
| 6800 | 30 x 50 | 5.16 | 5.93 | 0.046 | 0.035 | ECOS1KP682DA | ECEC1KP682DA |
| | 35 x 40 | 5.16 | 5.93 | 0.046 | 0.035 | ECOS1KP682EA | ECEC1KP682EA |
| 8200 | 35 x 50 | 5.83 | 6.70 | 0.038 | 0.029 | ECOS1KP822EA | ECEC1KP822EA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---------------------------------------|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 100 VDC Working, 125 VDC Surge | | | | | | | |
| 470 | 22 x 20 | 1.00 | 1.15 | 0.459 | 0.298 | ECOS2AP471BL | ECEC2AP471BL |
| | 22 x 25 | 1.11 | 1.28 | 0.459 | 0.298 | ECOS2AP471BA | ECEC2AP471BA |
| 560 | 22 x 25 | 1.32 | 1.52 | 0.385 | 0.250 | ECOS2AP561BA | ECEC2AP561BA |
| | 680 | 22 x 25 | 1.61 | 1.85 | 0.317 | 0.206 | ECOS2AP681BA |
| 25 x 20 | | 1.10 | 1.27 | 0.366 | 0.238 | ECOS2AP681CL | ECEC2AP681CL |
| 1000 | 22 x 30 | 1.96 | 2.25 | 0.216 | 0.140 | ECOS2AP102BA | ECEC2AP102BA |
| | 25 x 25 | 1.96 | 2.25 | 0.216 | 0.140 | ECOS2AP102CA | ECEC2AP102CA |
| | 30 x 20 | 1.20 | 1.38 | 0.249 | 0.162 | ECOS2AP102DL | ECEC2AP102DL |
| 1200 | 22 x 35 | 2.31 | 2.66 | 0.193 | 0.126 | ECOS2AP122BA | ECEC2AP122BA |
| | 25 x 30 | 2.31 | 2.66 | 0.180 | 0.117 | ECOS2AP122CA | ECEC2AP122CA |
| 1500 | 22 x 40 | 2.57 | 2.96 | 0.155 | 0.101 | ECOS2AP152BA | ECEC2AP152BA |
| | 25 x 30 | 2.57 | 2.96 | 0.155 | 0.101 | ECOS2AP152CA | ECEC2AP152CA |
| | 30 x 25 | 2.57 | 2.96 | 0.155 | 0.101 | ECOS2AP152DA | ECEC2AP152DA |
| | 35 x 20 | 1.50 | 1.73 | 0.177 | 0.115 | ECOS2AP152EL | ECEC2AP152EL |
| 1800 | 22 x 45 | 2.84 | 3.27 | 0.129 | 0.084 | ECOS2AP182BA | ECEC2AP182BA |
| | 25 x 35 | 2.84 | 3.27 | 0.138 | 0.090 | ECOS2AP182CA | ECEC2AP182CA |
| | 30 x 30 | 2.84 | 3.27 | 0.138 | 0.090 | ECOS2AP182DA | ECEC2AP182DA |
| 2200 | 22 x 50 | 3.14 | 3.61 | 0.121 | 0.078 | ECOS2AP222BA | ECEC2AP222BA |
| | 25 x 40 | 3.14 | 3.61 | 0.121 | 0.078 | ECOS2AP222CA | ECEC2AP222CA |
| | 30 x 30 | 3.14 | 3.61 | 0.121 | 0.078 | ECOS2AP222DA | ECEC2AP222DA |
| | 35 x 25 | 3.14 | 3.61 | 0.121 | 0.078 | ECOS2AP222EA | ECEC2AP222EA |
| 2700 | 25 x 45 | 3.71 | 4.27 | 0.104 | 0.068 | ECOS2AP272CA | ECEC2AP272CA |
| | 30 x 35 | 3.71 | 4.27 | 0.104 | 0.068 | ECOS2AP272DA | ECEC2AP272DA |
| | 35 x 30 | 3.71 | 4.27 | 0.104 | 0.068 | ECOS2AP272EA | ECEC2AP272EA |
| 3300 | 25 x 50 | 4.06 | 4.67 | 0.090 | 0.059 | ECOS2AP332CA | ECEC2AP332CA |
| | 30 x 40 | 4.06 | 4.67 | 0.090 | 0.059 | ECOS2AP332DA | ECEC2AP332DA |
| 3900 | 30 x 45 | 4.54 | 5.22 | 0.077 | 0.050 | ECOS2AP392DA | ECEC2AP392DA |
| | 35 x 35 | 4.54 | 5.22 | 0.081 | 0.052 | ECOS2AP392EA | ECEC2AP392EA |
| 4700 | 30 x 50 | 5.13 | 5.90 | 0.071 | 0.049 | ECOS2AP472DA | ECEC2AP472DA |
| | 35 x 40 | 5.13 | 5.90 | 0.071 | 0.049 | ECOS2AP472EA | ECEC2AP472EA |
| 5600 | 35 x 45 | 5.75 | 6.61 | 0.059 | 0.041 | ECOS2AP562EA | ECEC2AP562EA |
| 6800 | 35 x 50 | 6.60 | 7.59 | 0.049 | 0.037 | ECOS2AP682EA | ECEC2AP682EA |
| 160 VDC Working, 200 VDC Surge | | | | | | | |
| 220 | 22 x 20 | 0.75 | 1.05 | 0.980 | 0.490 | ECOS2CP221BL | ECEC2CP221BL |
| | 22 x 25 | 0.91 | 1.27 | 0.829 | 0.414 | ECOS2CP221BA | ECEC2CP221BA |
| 270 | 22 x 25 | 1.19 | 1.67 | 0.675 | 0.338 | ECOS2CP271BA | ECEC2CP271BA |
| | 25 x 20 | 0.87 | 1.22 | 0.798 | 0.399 | ECOS2CP271CL | ECEC2CP271CL |
| 330 | 22 x 25 | 1.45 | 2.03 | 0.553 | 0.276 | ECOS2CP331BA | ECEC2CP331BA |
| 390 | 22 x 25 | 1.62 | 2.27 | 0.468 | 0.234 | ECOS2CP391BX | ECEC2CP391BX |
| | 25 x 25 | 1.62 | 2.27 | 0.468 | 0.234 | ECOS2CP391CA | ECEC2CP391CA |
| | 30 x 20 | 1.10 | 1.54 | 0.595 | 0.298 | ECOS2CP391DL | ECEC2CP391DL |
| 470 | 22 x 30 | 2.11 | 2.95 | 0.423 | 0.212 | ECOS2CP471BA | ECEC2CP471BA |
| | 25 x 25 | 2.11 | 2.95 | 0.423 | 0.212 | ECOS2CP471CA | ECEC2CP471CA |
| 560 | 22 x 30 | 2.25 | 3.15 | 0.355 | 0.178 | ECOS2CP561BX | ECEC2CP561BX |
| | 22 x 35 | 2.25 | 3.15 | 0.355 | 0.178 | ECOS2CP561BA | ECEC2CP561BA |
| | 25 x 25 | 2.25 | 3.15 | 0.355 | 0.178 | ECOS2CP561CX | ECEC2CP561CX |
| | 25 x 30 | 2.25 | 3.15 | 0.355 | 0.178 | ECOS2CP561CA | ECEC2CP561CA |
| | 35 x 20 | 1.30 | 1.82 | 0.414 | 0.207 | ECOS2CP561EL | ECEC2CP561EL |
| 680 | 22 x 35 | 2.50 | 3.50 | 0.293 | 0.146 | ECOS2CP681BX | ECEC2CP681BX |
| | 22 x 40 | 2.50 | 3.50 | 0.293 | 0.146 | ECOS2CP681BA | ECEC2CP681BA |
| | 25 x 30 | 2.50 | 3.50 | 0.293 | 0.146 | ECOS2CP681CX | ECEC2CP681CX |
| | 30 x 25 | 2.50 | 3.50 | 0.293 | 0.146 | ECOS2CP681DA | ECEC2CP681DA |
| 820 | 22 x 40 | 2.50 | 3.50 | 0.243 | 0.121 | ECOS2CP821BX | ECEC2CP821BX |
| | 22 x 45 | 2.75 | 3.85 | 0.263 | 0.131 | ECOS2CP821BA | ECEC2CP821BA |
| | 25 x 35 | 2.75 | 3.85 | 0.263 | 0.131 | ECOS2CP821CA | ECEC2CP821CA |
| | 30 x 25 | 2.75 | 3.85 | 0.263 | 0.131 | ECOS2CP821DX | ECEC2CP821DX |
| | 30 x 30 | 2.75 | 3.85 | 0.263 | 0.131 | ECOS2CP821DA | ECEC2CP821DA |
| 1000 | 22 x 45 | 3.00 | 4.20 | 0.216 | 0.108 | ECOS2CP102BX | ECEC2CP102BX |
| | 25 x 40 | 3.00 | 4.20 | 0.216 | 0.108 | ECOS2CP102CX | ECEC2CP102CX |
| | 25 x 45 | 3.00 | 4.20 | 0.232 | 0.128 | ECOS2CP102CA | ECEC2CP102CA |
| | 30 x 30 | 3.00 | 4.20 | 0.232 | 0.128 | ECOS2CP102DX | ECEC2CP102DX |
| | 30 x 35 | 3.00 | 4.20 | 0.232 | 0.128 | ECOS2CP102DA | ECEC2CP102DA |
| | 35 x 30 | 3.00 | 4.20 | 0.232 | 0.128 | ECOS2CP102EA | ECEC2CP102EA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 160 VDC Working, 200 VDC Surge (continued) | | | | | | | |
| 1200 | 25 x 50 | 3.25 | 4.55 | 0.207 | 0.114 | ECOS2CP122CA | ECEC2CP122CA |
| | 30 x 35 | 3.25 | 4.55 | 0.207 | 0.114 | ECOS2CP122DA | ECEC2CP122DA |
| | 35 x 30 | 3.25 | 4.55 | 0.207 | 0.114 | ECOS2CP122EA | ECEC2CP122EA |
| 1500 | 25 x 50 | 3.73 | 5.22 | 0.166 | 0.091 | ECOS2CP152CX | ECEC2CP152CX |
| | 30 x 45 | 3.73 | 5.22 | 0.166 | 0.091 | ECOS2CP152DA | ECEC2CP152DA |
| | 35 x 30 | 3.73 | 5.22 | 0.166 | 0.091 | ECOS2CP152EX | ECEC2CP152EX |
| | 35 x 35 | 3.73 | 5.22 | 0.166 | 0.091 | ECOS2CP152EA | ECEC2CP152EA |
| 1800 | 30 x 50 | 4.20 | 5.88 | 0.138 | 0.083 | ECOS2CP182DA | ECEC2CP182DA |
| | 35 x 35 | 4.20 | 5.88 | 0.138 | 0.083 | ECOS2CP182EX | ECEC2CP182EX |
| 2200 | 30 x 50 | 4.78 | 6.69 | 0.105 | 0.053 | ECOS2CP222DX | ECEC2CP222DX |
| | 35 x 40 | 4.78 | 6.69 | 0.113 | 0.073 | ECOS2CP222EX | ECEC2CP222EX |
| | 35 x 45 | 4.78 | 6.69 | 0.113 | 0.073 | ECOS2CP222EA | ECEC2CP222EA |
| 2700 | 35 x 50 | 5.45 | 7.63 | 0.092 | 0.060 | ECOS2CP272EA | ECEC2CP272EA |
| 200 VDC Working, 250 VDC Surge | | | | | | | |
| 150 | 22 x 20 | 0.65 | 0.91 | 1.326 | 0.597 | ECOS2DP151BL | ECEC2DP151BL |
| | 22 x 25 | 0.71 | 0.99 | 1.216 | 0.547 | ECOS2DP151BA | ECEC2DP151BA |
| 220 | 22 x 25 | 1.04 | 1.46 | 0.829 | 0.373 | ECOS2DP221BA | ECEC2DP221BA |
| | 25 x 20 | 0.87 | 1.22 | 0.904 | 0.407 | ECOS2DP221CL | ECEC2DP221CL |
| 270 | 22 x 25 | 1.41 | 1.97 | 0.614 | 0.276 | ECOS2DP271BA | ECEC2DP271BA |
| 330 | 22 x 25 | 1.56 | 2.18 | 0.553 | 0.249 | ECOS2DP331BX | ECEC2DP331BX |
| | 30 x 20 | 1.00 | 1.40 | 0.603 | 0.271 | ECOS2DP331DL | ECEC2DP331DL |
| 390 | 22 x 30 | 1.68 | 2.35 | 0.468 | 0.210 | ECOS2DP391BA | ECEC2DP391BA |
| | 25 x 25 | 1.68 | 2.35 | 0.468 | 0.210 | ECOS2DP391CA | ECEC2DP391CA |
| 470 | 22 x 35 | 1.85 | 2.59 | 0.388 | 0.175 | ECOS2DP471BA | ECEC2DP471BA |
| | 25 x 30 | 1.85 | 2.59 | 0.388 | 0.175 | ECOS2DP471CA | ECEC2DP471CA |
| | 35 x 20 | 1.30 | 1.82 | 0.459 | 0.206 | ECOS2DP471EL | ECEC2DP471EL |
| 560 | 22 x 40 | 2.43 | 3.40 | 0.326 | 0.147 | ECOS2DP561BA | ECEC2DP561BA |
| | 25 x 30 | 2.43 | 3.40 | 0.326 | 0.147 | ECOS2DP561CX | ECEC2DP561CX |
| | 30 x 25 | 2.43 | 3.40 | 0.326 | 0.147 | ECOS2DP561DA | ECEC2DP561DA |
| 680 | 22 x 45 | 2.68 | 3.75 | 0.268 | 0.121 | ECOS2DP681BA | ECEC2DP681BA |
| | 25 x 35 | 2.68 | 3.75 | 0.268 | 0.121 | ECOS2DP681CA | ECEC2DP681CA |
| | 30 x 30 | 2.68 | 3.75 | 0.268 | 0.121 | ECOS2DP681DA | ECEC2DP681DA |
| 820 | 25 x 45 | 2.93 | 4.10 | 0.222 | 0.100 | ECOS2DP821CA | ECEC2DP821CA |
| | 30 x 30 | 2.93 | 4.10 | 0.222 | 0.100 | ECOS2DP821DX | ECEC2DP821DX |
| | 30 x 35 | 2.93 | 4.10 | 0.222 | 0.100 | ECOS2DP821DA | ECEC2DP821DA |
| | 35 x 25 | 2.93 | 4.10 | 0.222 | 0.100 | ECOS2DP821EA | ECEC2DP821EA |
| 1000 | 25 x 45 | 3.25 | 4.55 | 0.199 | 0.090 | ECOS2DP102CX | ECEC2DP102CX |
| | 25 x 50 | 3.25 | 4.55 | 0.199 | 0.090 | ECOS2DP102CA | ECEC2DP102CA |
| | 30 x 35 | 3.25 | 4.55 | 0.199 | 0.090 | ECOS2DP102DX | ECEC2DP102DX |
| | 30 x 40 | 3.25 | 4.55 | 0.199 | 0.090 | ECOS2DP102DA | ECEC2DP102DA |
| | 35 x 30 | 3.25 | 4.55 | 0.199 | 0.090 | ECOS2DP102EA | ECEC2DP102EA |
| 1200 | 30 x 40 | 3.50 | 4.90 | 0.166 | 0.075 | ECOS2DP122DX | ECEC2DP122DX |
| | 30 x 45 | 3.50 | 4.90 | 0.166 | 0.075 | ECOS2DP122DA | ECEC2DP122DA |
| | 35 x 30 | 3.50 | 4.90 | 0.166 | 0.075 | ECOS2DP122EX | ECEC2DP122EX |
| | 35 x 35 | 3.50 | 4.90 | 0.166 | 0.075 | ECOS2DP122EA | ECEC2DP122EA |
| 1500 | 30 x 45 | 3.87 | 5.42 | 0.144 | 0.072 | ECOS2DP152DX | ECEC2DP152DX |
| | 30 x 50 | 3.87 | 5.42 | 0.144 | 0.072 | ECOS2DP152DA | ECEC2DP152DA |
| | 35 x 35 | 3.87 | 5.42 | 0.144 | 0.072 | ECOS2DP152EX | ECEC2DP152EX |
| | 35 x 40 | 3.87 | 5.42 | 0.144 | 0.072 | ECOS2DP152EA | ECEC2DP152EA |
| 1800 | 30 x 50 | 4.32 | 6.05 | 0.120 | 0.060 | ECOS2DP182DX | ECEC2DP182DX |
| | 35 x 40 | 4.32 | 6.05 | 0.120 | 0.060 | ECOS2DP182EX | ECEC2DP182EX |
| | 35 x 45 | 4.32 | 6.05 | 0.120 | 0.060 | ECOS2DP182EA | ECEC2DP182EA |
| 2200 | 35 x 45 | 4.92 | 6.89 | 0.098 | 0.054 | ECOS2DP222EX | ECEC2DP222EX |
| | 35 x 50 | 4.92 | 6.89 | 0.098 | 0.054 | ECOS2DP222EA | ECEC2DP222EA |
| 250 VDC Working, 300 VDC Surge | | | | | | | |
| 120 | 22 x 20 | 0.45 | 0.63 | 1.658 | 0.663 | ECOS2EP121BL | ECEC2EP121BL |
| | 22 x 25 | 0.71 | 0.99 | 1.520 | 0.608 | ECOS2EP121BA | ECEC2EP121BA |
| 150 | 22 x 25 | 0.89 | 1.25 | 1.216 | 0.486 | ECOS2EP151BA | ECEC2EP151BA |
| | 25 x 20 | 0.65 | 0.91 | 1.326 | 0.531 | ECOS2EP151CL | ECEC2EP151CL |
| 180 | 22 x 25 | 1.07 | 1.50 | 0.921 | 0.368 | ECOS2EP181BA | ECEC2EP181BA |
| 220 | 22 x 25 | 1.17 | 1.64 | 0.754 | 0.301 | ECOS2EP221BX | ECEC2EP221BX |
| | 30 x 20 | 0.87 | 1.22 | 0.829 | 0.332 | ECOS2EP221DL | ECEC2EP221DL |
| 270 | 22 x 30 | 1.31 | 1.83 | 0.614 | 0.246 | ECOS2EP271BA | ECEC2EP271BA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 250 VDC Working, 300 VDC Surge (continued) | | | | | | | |
| 270 | 25 x 25 | 1.31 | 1.83 | 0.614 | 0.246 | ECOS2EP271CA | ECEC2EP271CA |
| 330 | 22 x 35 | 1.75 | 2.45 | 0.553 | 0.221 | ECOS2EP331BA | ECEC2EP331BA |
| | 25 x 30 | 1.75 | 2.45 | 0.502 | 0.201 | ECOS2EP331CA | ECEC2EP331CA |
| 390 | 35 x 20 | 1.10 | 1.54 | 0.553 | 0.221 | ECOS2EP331EL | ECEC2EP331EL |
| | 22 x 40 | 1.91 | 2.67 | 0.468 | 0.187 | ECOS2EP391BA | ECEC2EP391BA |
| | 25 x 30 | 1.91 | 2.67 | 0.468 | 0.187 | ECOS2EP391CX | ECEC2EP391CX |
| | 25 x 35 | 1.91 | 2.67 | 0.468 | 0.187 | ECOS2EP391CA | ECEC2EP391CA |
| 470 | 30 x 25 | 1.91 | 2.67 | 0.425 | 0.170 | ECOS2EP391DA | ECEC2EP391DA |
| | 22 x 45 | 2.11 | 2.95 | 0.388 | 0.155 | ECOS2EP471BA | ECEC2EP471BA |
| | 25 x 35 | 2.11 | 2.95 | 0.388 | 0.155 | ECOS2EP471CX | ECEC2EP471CX |
| | 25 x 40 | 2.11 | 2.95 | 0.388 | 0.155 | ECOS2EP471CA | ECEC2EP471CA |
| 560 | 30 x 25 | 2.11 | 2.95 | 0.353 | 0.141 | ECOS2EP471DX | ECEC2EP471DX |
| | 30 x 30 | 2.11 | 2.95 | 0.388 | 0.155 | ECOS2EP471DA | ECEC2EP471DA |
| | 25 x 40 | 2.25 | 3.15 | 0.326 | 0.130 | ECOS2EP561CX | ECEC2EP561CX |
| | 25 x 45 | 2.25 | 3.15 | 0.326 | 0.130 | ECOS2EP561CA | ECEC2EP561CA |
| | 30 x 30 | 2.25 | 3.15 | 0.326 | 0.130 | ECOS2EP561DX | ECEC2EP561DX |
| 680 | 30 x 35 | 2.25 | 3.15 | 0.326 | 0.130 | ECOS2EP561DA | ECEC2EP561DA |
| | 35 x 25 | 2.25 | 3.15 | 0.326 | 0.130 | ECOS2EP561EA | ECEC2EP561EA |
| | 25 x 45 | 2.50 | 3.50 | 0.268 | 0.107 | ECOS2EP681CX | ECEC2EP681CX |
| | 25 x 50 | 2.50 | 3.50 | 0.268 | 0.107 | ECOS2EP681CA | ECEC2EP681CA |
| | 30 x 35 | 2.50 | 3.50 | 0.268 | 0.107 | ECOS2EP681DX | ECEC2EP681DX |
| 820 | 30 x 40 | 2.50 | 3.50 | 0.268 | 0.107 | ECOS2EP681DA | ECEC2EP681DA |
| | 35 x 30 | 2.50 | 3.50 | 0.268 | 0.107 | ECOS2EP681EA | ECEC2EP681EA |
| | 30 x 40 | 2.50 | 3.50 | 0.222 | 0.089 | ECOS2EP821DX | ECEC2EP821DX |
| | 30 x 45 | 2.77 | 3.88 | 0.222 | 0.089 | ECOS2EP821DA | ECEC2EP821DA |
| | 35 x 30 | 2.77 | 3.88 | 0.222 | 0.089 | ECOS2EP821EX | ECEC2EP821EX |
| 1000 | 35 x 35 | 2.77 | 3.88 | 0.243 | 0.109 | ECOS2EP821EA | ECEC2EP821EA |
| | 30 x 45 | 3.32 | 4.65 | 0.182 | 0.073 | ECOS2EP102DX | ECEC2EP102DX |
| | 30 x 50 | 3.32 | 4.65 | 0.199 | 0.090 | ECOS2EP102DA | ECEC2EP102DA |
| | 35 x 35 | 3.32 | 4.65 | 0.199 | 0.090 | ECOS2EP102EX | ECEC2EP102EX |
| | 35 x 40 | 3.32 | 4.65 | 0.199 | 0.099 | ECOS2EP102EA | ECEC2EP102EA |
| 1200 | 35 x 40 | 3.53 | 4.94 | 0.166 | 0.083 | ECOS2EP122EX | ECEC2EP122EX |
| | 35 x 45 | 3.53 | 4.94 | 0.166 | 0.083 | ECOS2EP122EA | ECEC2EP122EA |
| 1500 | 35 x 50 | 4.04 | 5.66 | 0.133 | 0.066 | ECOS2EP152EA | ECEC2EP152EA |
| 350 VDC Working, 400 VDC Surge | | | | | | | |
| 82 | 22 x 25 | 0.83 | 1.16 | 2.022 | 0.708 | ECOS2VP820BA | ECEC2VP820BA |
| 100 | 22 x 30 | 0.91 | 1.27 | 1.658 | 0.580 | ECOS2VP101BA | ECEC2VP101BA |
| 120 | 22 x 30 | 1.00 | 1.40 | 1.382 | 0.484 | ECOS2VP121BA | ECEC2VP121BA |
| | 25 x 25 | 1.00 | 1.40 | 1.382 | 0.484 | ECOS2VP121CA | ECEC2VP121CA |
| 150 | 22 x 35 | 1.12 | 1.57 | 1.105 | 0.387 | ECOS2VP151BA | ECEC2VP151BA |
| | 25 x 25 | 1.12 | 1.57 | 1.105 | 0.387 | ECOS2VP151CX | ECEC2VP151CX |
| | 25 x 30 | 1.12 | 1.57 | 1.105 | 0.387 | ECOS2VP151CA | ECEC2VP151CA |
| | 30 x 25 | 1.12 | 1.57 | 1.105 | 0.387 | ECOS2VP151DA | ECEC2VP151DA |
| 180 | 22 x 40 | 1.22 | 1.71 | 0.921 | 0.322 | ECOS2VP181BA | ECEC2VP181BA |
| | 25 x 30 | 1.22 | 1.71 | 0.921 | 0.322 | ECOS2VP181CX | ECEC2VP181CX |
| | 25 x 35 | 1.22 | 1.71 | 0.921 | 0.322 | ECOS2VP181CA | ECEC2VP181CA |
| | 30 x 25 | 1.22 | 1.71 | 0.921 | 0.322 | ECOS2VP181DA | ECEC2VP181DA |
| 220 | 22 x 45 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221BA | ECEC2VP221BA |
| | 25 x 35 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221CX | ECEC2VP221CX |
| | 25 x 40 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221CA | ECEC2VP221CA |
| | 30 x 25 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221DX | ECEC2VP221DX |
| | 30 x 30 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221DA | ECEC2VP221DA |
| 270 | 35 x 25 | 1.44 | 2.02 | 0.754 | 0.264 | ECOS2VP221EA | ECEC2VP221EA |
| | 25 x 40 | 1.66 | 2.32 | 0.614 | 0.215 | ECOS2VP271CX | ECEC2VP271CX |
| | 30 x 30 | 1.66 | 2.32 | 0.614 | 0.215 | ECOS2VP271DX | ECEC2VP271DX |
| | 30 x 35 | 1.66 | 2.32 | 0.614 | 0.215 | ECOS2VP271DA | ECEC2VP271DA |
| | 35 x 25 | 1.66 | 2.32 | 0.614 | 0.215 | ECOS2VP271EX | ECEC2VP271EX |
| 330 | 35 x 30 | 1.66 | 2.32 | 0.614 | 0.215 | ECOS2VP271EA | ECEC2VP271EA |
| | 25 x 50 | 1.88 | 2.63 | 0.502 | 0.176 | ECOS2VP331CA | ECEC2VP331CA |
| | 30 x 35 | 1.88 | 2.63 | 0.502 | 0.176 | ECOS2VP331DX | ECEC2VP331DX |
| | 30 x 40 | 1.88 | 2.63 | 0.502 | 0.176 | ECOS2VP331DA | ECEC2VP331DA |
| | 35 x 30 | 1.88 | 2.63 | 0.502 | 0.176 | ECOS2VP331EA | ECEC2VP331EA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 350 VDC Working, 400 VDC Surge (continued) | | | | | | | |
| 390 | 25 x 50 | 2.06 | 2.88 | 0.425 | 0.149 | ECOS2VP391CX | ECEC2VP391CX |
| | 30 x 40 | 2.06 | 2.88 | 0.425 | 0.149 | ECOS2VP391DX | ECEC2VP391DX |
| | 30 x 45 | 2.06 | 2.88 | 0.468 | 0.164 | ECOS2VP391DA | ECEC2VP391DA |
| | 35 x 30 | 2.06 | 2.88 | 0.425 | 0.149 | ECOS2VP391EX | ECEC2VP391EX |
| | 35 x 35 | 2.06 | 2.88 | 0.425 | 0.149 | ECOS2VP391EA | ECEC2VP391EA |
| 470 | 30 x 50 | 2.40 | 3.36 | 0.388 | 0.136 | ECOS2VP471DA | ECEC2VP471DA |
| | 35 x 35 | 2.40 | 3.36 | 0.353 | 0.123 | ECOS2VP471EX | ECEC2VP471EX |
| | 35 x 40 | 2.40 | 3.36 | 0.353 | 0.123 | ECOS2VP471EA | ECEC2VP471EA |
| 560 | 30 x 50 | 2.60 | 3.64 | 0.326 | 0.114 | ECOS2VP561DX | ECEC2VP561DX |
| | 35 x 40 | 2.60 | 3.64 | 0.296 | 0.104 | ECOS2VP561EX | ECEC2VP561EX |
| | 35 x 45 | 2.60 | 3.64 | 0.296 | 0.104 | ECOS2VP561EA | ECEC2VP561EA |
| 680 | 35 x 45 | 2.96 | 4.14 | 0.293 | 0.117 | ECOS2VP681EX | ECEC2VP681EX |
| | 35 x 50 | 2.96 | 4.14 | 0.293 | 0.117 | ECOS2VP681EA | ECEC2VP681EA |
| 820 | 35 x 50 | 3.55 | 4.97 | 0.243 | 0.097 | ECOS2VP821EX | ECEC2VP821EX |
| 385 VDC Working, 435 VDC Surge | | | | | | | |
| 47 | 22 x 20 | 0.25 | 0.35 | 4.233 | 1.481 | ECOS2TP470BL | ECEC2TP470BL |
| 68 | 22 x 25 | 0.76 | 1.06 | 2.438 | 0.853 | ECOS2TP680BA | ECEC2TP680BA |
| | 25 x 20 | 0.35 | 0.49 | 2.926 | 1.024 | ECOS2TP680CL | ECEC2TP680CL |
| 82 | 22 x 25 | 0.83 | 1.16 | 2.022 | 0.708 | ECOS2TP820BA | ECEC2TP820BA |
| 100 | 22 x 30 | 0.92 | 1.29 | 1.658 | 0.580 | ECOS2TP101BA | ECEC2TP101BA |
| | 25 x 25 | 0.92 | 1.29 | 1.658 | 0.580 | ECOS2TP101CA | ECEC2TP101CA |
| | 30 x 20 | 0.47 | 0.66 | 1.989 | 0.696 | ECOS2TP101DL | ECEC2TP101DL |
| 120 | 22 x 35 | 1.02 | 1.43 | 1.382 | 0.553 | ECOS2TP121BA | ECEC2TP121BA |
| | 25 x 25 | 1.02 | 1.43 | 1.382 | 0.553 | ECOS2TP121CX | ECEC2TP121CX |
| | 25 x 30 | 1.02 | 1.43 | 1.382 | 0.553 | ECOS2TP121CA | ECEC2TP121CA |
| 150 | 22 x 35 | 1.16 | 1.62 | 1.105 | 0.442 | ECOS2TP151BX | ECEC2TP151BX |
| | 22 x 40 | 1.16 | 1.62 | 1.105 | 0.442 | ECOS2TP151BA | ECEC2TP151BA |
| | 25 x 30 | 1.16 | 1.62 | 1.105 | 0.442 | ECOS2TP151CA | ECEC2TP151CA |
| | 30 x 25 | 1.16 | 1.62 | 1.105 | 0.442 | ECOS2TP151DA | ECEC2TP151DA |
| | 35 x 20 | 0.60 | 0.84 | 1.326 | 0.531 | ECOS2TP151EL | ECEC2TP151EL |
| 180 | 22 x 40 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181BX | ECEC2TP181BX |
| | 22 x 45 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181BA | ECEC2TP181BA |
| | 25 x 30 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181CX | ECEC2TP181CX |
| | 25 x 35 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181CA | ECEC2TP181CA |
| | 30 x 25 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181DX | ECEC2TP181DX |
| | 30 x 30 | 1.44 | 2.02 | 0.921 | 0.368 | ECOS2TP181DA | ECEC2TP181DA |
| 220 | 22 x 45 | 1.49 | 2.09 | 0.829 | 0.373 | ECOS2TP221BX | ECEC2TP221BX |
| | 22 x 50 | 1.49 | 2.09 | 0.829 | 0.373 | ECOS2TP221BA | ECEC2TP221BA |
| | 25 x 40 | 1.49 | 2.09 | 0.829 | 0.373 | ECOS2TP221CA | ECEC2TP221CA |
| | 30 x 30 | 1.49 | 2.09 | 0.829 | 0.373 | ECOS2TP221DA | ECEC2TP221DA |
| 270 | 25 x 45 | 1.67 | 2.34 | 0.675 | 0.304 | ECOS2TP271CA | ECEC2TP271CA |
| | 30 x 35 | 1.67 | 2.34 | 0.675 | 0.304 | ECOS2TP271DA | ECEC2TP271DA |
| | 35 x 25 | 1.67 | 2.34 | 0.675 | 0.304 | ECOS2TP271EX | ECEC2TP271EX |
| | 35 x 30 | 1.67 | 2.34 | 0.675 | 0.304 | ECOS2TP271EA | ECEC2TP271EA |
| 330 | 25 x 50 | 1.90 | 2.66 | 0.553 | 0.249 | ECOS2TP331CX | ECEC2TP331CX |
| | 30 x 40 | 1.90 | 2.66 | 0.553 | 0.249 | ECOS2TP331DA | ECEC2TP331DA |
| | 35 x 30 | 1.90 | 2.66 | 0.553 | 0.249 | ECOS2TP331EX | ECEC2TP331EX |
| | 35 x 35 | 1.90 | 2.66 | 0.553 | 0.249 | ECOS2TP331EA | ECEC2TP331EA |
| 390 | 30 x 45 | 2.13 | 2.98 | 0.468 | 0.210 | ECOS2TP391DA | ECEC2TP391DA |
| | 35 x 35 | 2.13 | 2.98 | 0.468 | 0.210 | ECOS2TP391EX | ECEC2TP391EX |
| | 35 x 40 | 2.13 | 2.98 | 0.468 | 0.210 | ECOS2TP391EA | ECEC2TP391EA |
| 470 | 30 x 50 | 2.39 | 3.35 | 0.388 | 0.175 | ECOS2TP471DA | ECEC2TP471DA |
| | 35 x 40 | 2.39 | 3.35 | 0.388 | 0.175 | ECOS2TP471EX | ECEC2TP471EX |
| | 35 x 45 | 2.39 | 3.35 | 0.388 | 0.175 | ECOS2TP471EA | ECEC2TP471EA |
| 560 | 35 x 45 | 2.69 | 3.77 | 0.326 | 0.147 | ECOS2TP561EX | ECEC2TP561EX |
| | 35 x 50 | 2.69 | 3.77 | 0.326 | 0.147 | ECOS2TP561EA | ECEC2TP561EA |
| 680 | 35 x 50 | 3.00 | 4.20 | 0.268 | 0.121 | ECOS2TP681EX | ECEC2TP681EX |
| 400 VDC Working, 450 VDC Surge | | | | | | | |
| 47 | 22 x 20 | 0.25 | 0.35 | 3.527 | 1.235 | ECOS2GP470BL | ECEC2GP470BL |
| | 22 x 25 | 0.47 | 0.66 | 3.527 | 1.235 | ECOS2GP470BA | ECEC2GP470BA |
| 68 | 22 x 25 | 0.69 | 0.97 | 2.438 | 0.853 | ECOS2GP680BA | ECEC2GP680BA |
| | 25 x 20 | 0.35 | 0.49 | 2.926 | 1.024 | ECOS2GP680CL | ECEC2GP680CL |
| 82 | 22 x 25 | 0.83 | 1.16 | 2.022 | 0.708 | ECOS2GP820BA | ECEC2GP820BA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 400 VDC Working, 450 VDC Surge (continued) | | | | | | | |
| 100 | 22 x 30 | 0.92 | 1.29 | 1.658 | 0.580 | ECOS2GP101BA | ECEC2GP101BA |
| | 25 x 25 | 0.92 | 1.29 | 1.658 | 0.580 | ECOS2GP101CA | ECEC2GP101CA |
| | 30 x 20 | 0.47 | 0.66 | 1.989 | 0.696 | ECOS2GP101DL | ECEC2GP101DL |
| 120 | 22 x 35 | 1.02 | 1.43 | 1.382 | 0.484 | ECOS2GP121BA | ECEC2GP121BA |
| | 25 x 25 | 1.02 | 1.43 | 1.382 | 0.484 | ECOS2GP121CX | ECEC2GP121CX |
| 150 | 22 x 40 | 1.16 | 1.62 | 1.105 | 0.387 | ECOS2GP151BA | ECEC2GP151BA |
| | 25 x 30 | 1.16 | 1.62 | 1.105 | 0.387 | ECOS2GP151CA | ECEC2GP151CA |
| | 30 x 25 | 1.16 | 1.62 | 1.105 | 0.387 | ECOS2GP151DA | ECEC2GP151DA |
| | 35 x 20 | 0.60 | 0.84 | 1.326 | 0.464 | ECOS2GP151EL | ECEC2GP151EL |
| 180 | 22 x 45 | 1.44 | 2.02 | 0.921 | 0.322 | ECOS2GP181BA | ECEC2GP181BA |
| | 25 x 30 | 1.44 | 2.02 | 0.921 | 0.322 | ECOS2GP181CX | ECEC2GP181CX |
| | 25 x 35 | 1.44 | 2.02 | 0.921 | 0.322 | ECOS2GP181CA | ECEC2GP181CA |
| 220 | 22 x 50 | 1.49 | 2.09 | 0.754 | 0.264 | ECOS2GP221BA | ECEC2GP221BA |
| | 25 x 40 | 1.49 | 2.09 | 0.754 | 0.264 | ECOS2GP221CA | ECEC2GP221CA |
| | 30 x 30 | 1.49 | 2.09 | 0.754 | 0.264 | ECOS2GP221DA | ECEC2GP221DA |
| 270 | 25 x 45 | 1.67 | 2.34 | 0.675 | 0.236 | ECOS2GP271CA | ECEC2GP271CA |
| | 30 x 35 | 1.67 | 2.34 | 0.675 | 0.236 | ECOS2GP271DA | ECEC2GP271DA |
| | 35 x 30 | 1.67 | 2.34 | 0.675 | 0.236 | ECOS2GP271EA | ECEC2GP271EA |
| 330 | 30 x 40 | 1.90 | 2.66 | 0.553 | 0.193 | ECOS2GP331DA | ECEC2GP331DA |
| | 35 x 30 | 1.90 | 2.66 | 0.553 | 0.193 | ECOS2GP331EX | ECEC2GP331EX |
| | 35 x 35 | 1.90 | 2.66 | 0.553 | 0.193 | ECOS2GP331EA | ECEC2GP331EA |
| 390 | 30 x 45 | 2.13 | 2.98 | 0.468 | 0.164 | ECOS2GP391DA | ECEC2GP391DA |
| | 35 x 35 | 2.13 | 2.98 | 0.468 | 0.164 | ECOS2GP391EX | ECEC2GP391EX |
| | 35 x 40 | 2.13 | 2.98 | 0.468 | 0.164 | ECOS2GP391EA | ECEC2GP391EA |
| 470 | 35 x 40 | 2.39 | 3.35 | 0.388 | 0.136 | ECOS2GP471EX | ECEC2GP471EX |
| | 35 x 45 | 2.39 | 3.35 | 0.388 | 0.136 | ECOS2GP471EA | ECEC2GP471EA |
| 560 | 35 x 45 | 2.69 | 3.77 | 0.326 | 0.114 | ECOS2GP561EX | ECEC2GP561EX |
| | 35 x 50 | 2.69 | 3.77 | 0.326 | 0.114 | ECOS2GP561EA | ECEC2GP561EA |
| 680 | 35 x 50 | 3.00 | 4.20 | 0.268 | 0.094 | ECOS2GP681EX | ECEC2GP681EX |
| 420 VDC Working, 470 VDC Surge | | | | | | | |
| 82 | 22 x 30 | 0.83 | 1.16 | 2.426 | 0.849 | ECOS2SP820BA | ECEC2SP820BA |
| 100 | 22 x 30 | 0.92 | 1.29 | 1.989 | 0.696 | ECOS2SP101BA | ECEC2SP101BA |
| | 25 x 25 | 0.92 | 1.29 | 1.989 | 0.696 | ECOS2SP101CA | ECEC2SP101CA |
| 120 | 22 x 35 | 1.02 | 1.43 | 1.658 | 0.580 | ECOS2SP121BA | ECEC2SP121BA |
| | 25 x 30 | 1.02 | 1.43 | 1.658 | 0.580 | ECOS2SP121CA | ECEC2SP121CA |
| 150 | 22 x 40 | 1.16 | 1.62 | 1.326 | 0.464 | ECOS2SP151BA | ECEC2SP151BA |
| | 25 x 30 | 1.16 | 1.62 | 1.326 | 0.464 | ECOS2SP151CA | ECEC2SP151CA |
| | 30 x 25 | 1.16 | 1.62 | 1.326 | 0.464 | ECOS2SP151DA | ECEC2SP151DA |
| 180 | 22 x 45 | 1.44 | 2.02 | 1.105 | 0.387 | ECOS2SP181BA | ECEC2SP181BA |
| | 25 x 35 | 1.44 | 2.02 | 1.105 | 0.387 | ECOS2SP181CA | ECEC2SP181CA |
| | 30 x 30 | 1.44 | 2.02 | 1.105 | 0.387 | ECOS2SP181DA | ECEC2SP181DA |
| 220 | 25 x 45 | 1.49 | 2.09 | 0.904 | 0.316 | ECOS2SP221CA | ECEC2SP221CA |
| | 30 x 30 | 1.49 | 2.09 | 0.904 | 0.316 | ECOS2SP221DA | ECEC2SP221DA |
| | 35 x 25 | 1.49 | 2.09 | 0.904 | 0.316 | ECOS2SP221EA | ECEC2SP221EA |
| 270 | 25 x 50 | 1.67 | 2.34 | 0.737 | 0.258 | ECOS2SP271CA | ECEC2SP271CA |
| | 30 x 35 | 1.67 | 2.34 | 0.737 | 0.258 | ECOS2SP271DA | ECEC2SP271DA |
| | 35 x 30 | 1.67 | 2.34 | 0.737 | 0.258 | ECOS2SP271EA | ECEC2SP271EA |
| 330 | 30 x 45 | 1.90 | 2.66 | 0.603 | 0.211 | ECOS2SP331DA | ECEC2SP331DA |
| | 35 x 35 | 1.90 | 2.66 | 0.603 | 0.211 | ECOS2SP331EA | ECEC2SP331EA |
| 390 | 30 x 50 | 2.13 | 2.98 | 0.510 | 0.179 | ECOS2SP391DA | ECEC2SP391DA |
| | 35 x 40 | 2.13 | 2.98 | 0.510 | 0.179 | ECOS2SP391EA | ECEC2SP391EA |
| 470 | 35 x 45 | 2.39 | 3.35 | 0.423 | 0.148 | ECOS2SP471EA | ECEC2SP471EA |
| 560 | 35 x 50 | 2.69 | 3.77 | 0.355 | 0.124 | ECOS2SP561EA | ECEC2SP561EA |
| 450 VDC Working, 500 VDC Surge | | | | | | | |
| 33 | 22 x 20 | 0.20 | 0.28 | 6.028 | 2.411 | ECOS2WP330BL | ECEC2WP330BL |
| | 22 x 25 | 0.41 | 0.57 | 6.028 | 2.411 | ECOS2WP330BA | ECEC2WP330BA |
| 47 | 22 x 25 | 0.59 | 0.83 | 4.233 | 1.693 | ECOS2WP470BA | ECEC2WP470BA |
| | 25 x 20 | 0.29 | 0.41 | 4.233 | 1.693 | ECOS2WP470CL | ECEC2WP470CL |
| 56 | 22 x 25 | 0.70 | 0.98 | 2.960 | 1.184 | ECOS2WP560BA | ECEC2WP560BA |
| 68 | 30 x 20 | 0.38 | 0.53 | 2.926 | 1.170 | ECOS2WP680DL | ECEC2WP680DL |
| 82 | 22 x 30 | 0.83 | 1.16 | 2.022 | 0.809 | ECOS2WP820BA | ECEC2WP820BA |
| | 25 x 25 | 0.83 | 1.16 | 2.022 | 0.809 | ECOS2WP820CA | ECEC2WP820CA |
| 100 | 22 x 35 | 0.93 | 1.30 | 1.658 | 0.663 | ECOS2WP101BA | ECEC2WP101BA |
| | 35 x 20 | 0.52 | 0.73 | 1.989 | 0.796 | ECOS2WP101EL | ECEC2WP101EL |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.

TS-UP Standard Ratings (continued)

Part numbers shown with 2 pins

| Cap. (μ F) | Size (mm) D x L | Max 85°C R.C. (A_{rms}) | | 20°C ESR (Ω , max.) | | Panasonic Part Number (By Terminal Length) | |
|---|--------------------|-----------------------------|--------|-----------------------------|-------|--|-----------------------|
| | | 120Hz | 10kHz~ | 120Hz | 20kHz | 6.3mm Length Terminal | 4.0mm Length Terminal |
| 450 VDC Working, 500 VDC Surge (continued) | | | | | | | |
| 120 | 22 x 40 | 1.04 | 1.46 | 1.382 | 0.553 | ECOS2WP121BA | ECEC2WP121BA |
| | 25 x 30 | 1.04 | 1.46 | 1.382 | 0.553 | ECOS2WP121CA | ECEC2WP121CA |
| | 30 x 25 | 1.04 | 1.46 | 1.382 | 0.553 | ECOS2WP121DA | ECEC2WP121DA |
| 150 | 22 x 50 | 1.19 | 1.67 | 1.105 | 0.442 | ECOS2WP151BA | ECEC2WP151BA |
| | 25 x 40 | 1.19 | 1.67 | 1.105 | 0.442 | ECOS2WP151CA | ECEC2WP151CA |
| | 30 x 30 | 1.19 | 1.67 | 1.105 | 0.442 | ECOS2WP151DA | ECEC2WP151DA |
| 180 | 25 x 40 | 1.35 | 1.89 | 0.921 | 0.368 | ECOS2WP181CX | ECEC2WP181CX |
| | 25 x 45 | 1.35 | 1.89 | 0.921 | 0.368 | ECOS2WP181CA | ECEC2WP181CA |
| | 30 x 30 | 1.35 | 1.89 | 0.921 | 0.368 | ECOS2WP181DX | ECEC2WP181DX |
| | 30 x 35 | 1.35 | 1.89 | 0.921 | 0.368 | ECOS2WP181DA | ECEC2WP181DA |
| | 35 x 25 | 1.35 | 1.89 | 0.921 | 0.368 | ECOS2WP181EA | ECEC2WP181EA |
| 220 | 25 x 45 | 1.55 | 2.17 | 0.754 | 0.301 | ECOS2WP221CX | ECEC2WP221CX |
| | 25 x 50 | 1.55 | 2.17 | 0.754 | 0.301 | ECOS2WP221CA | ECEC2WP221CA |
| | 30 x 35 | 1.55 | 2.17 | 0.754 | 0.301 | ECOS2WP221DX | ECEC2WP221DX |
| | 30 x 40 | 1.55 | 2.17 | 0.754 | 0.301 | ECOS2WP221DA | ECEC2WP221DA |
| | 35 x 30 | 1.55 | 2.17 | 0.754 | 0.301 | ECOS2WP221EA | ECEC2WP221EA |
| 270 | 30 x 45 | 1.78 | 2.49 | 0.675 | 0.270 | ECOS2WP271DA | ECEC2WP271DA |
| | 35 x 30 | 1.78 | 2.49 | 0.614 | 0.246 | ECOS2WP271EX | ECEC2WP271EX |
| 270 | 35 x 35 | 1.78 | 2.49 | 0.675 | 0.270 | ECOS2WP271EA | ECEC2WP271EA |
| 330 | 30 x 50 | 2.01 | 2.81 | 0.553 | 0.249 | ECOS2WP331DA | ECEC2WP331DA |
| | 35 x 35 | 2.01 | 2.81 | 0.553 | 0.221 | ECOS2WP331EX | ECEC2WP331EX |
| | 35 x 40 | 2.01 | 2.81 | 0.553 | 0.249 | ECOS2WP331EA | ECEC2WP331EA |
| 390 | 35 x 45 | 2.24 | 3.14 | 0.510 | 0.255 | ECOS2WP391EA | ECEC2WP391EA |
| 470 | 35 x 45 | 2.53 | 3.54 | 0.423 | 0.233 | ECOS2WP471EX | ECEC2WP471EX |
| | 35 x 50 | 2.53 | 3.54 | 0.423 | 0.233 | ECOS2WP471EA | ECEC2WP471EA |
| 500 VDC Working, 550 VDC Surge | | | | | | | |
| 47 | 22 x 25 | 0.63 | 0.88 | 3.527 | 1.411 | ECOS2HP470BA | ECEC2HP470BA |
| 56 | 22 x 30 | 0.70 | 0.98 | 2.960 | 1.184 | ECOS2HP560BA | ECEC2HP560BA |
| 68 | 22 x 35 | 0.78 | 1.09 | 2.438 | 0.975 | ECOS2HP680BA | ECEC2HP680BA |
| | 25 x 25 | 0.78 | 1.09 | 2.438 | 0.975 | ECOS2HP680CA | ECEC2HP680CA |
| 82 | 22 x 40 | 0.88 | 1.23 | 2.022 | 0.809 | ECOS2HP820BA | ECEC2HP820BA |
| | 25 x 30 | 0.88 | 1.23 | 2.022 | 0.809 | ECOS2HP820CA | ECEC2HP820CA |
| 100 | 22 x 45 | 0.99 | 1.39 | 1.658 | 0.663 | ECOS2HP101BA | ECEC2HP101BA |
| | 25 x 35 | 0.99 | 1.39 | 1.658 | 0.663 | ECOS2HP101CA | ECEC2HP101CA |
| 120 | 22 x 50 | 1.13 | 1.58 | 1.382 | 0.553 | ECOS2HP121BA | ECEC2HP121BA |
| | 25 x 40 | 1.13 | 1.58 | 1.382 | 0.553 | ECOS2HP121CA | ECEC2HP121CA |
| | 30 x 30 | 1.13 | 1.58 | 1.382 | 0.553 | ECOS2HP121DA | ECEC2HP121DA |
| 150 | 25 x 45 | 1.29 | 1.80 | 1.105 | 0.442 | ECOS2HP151CA | ECEC2HP151CA |
| | 30 x 35 | 1.29 | 1.80 | 1.105 | 0.442 | ECOS2HP151DA | ECEC2HP151DA |
| | 35 x 25 | 1.20 | 1.68 | 1.105 | 0.442 | ECOS2HP151EA | ECEC2HP151EA |
| 180 | 25 x 50 | 1.38 | 1.93 | 0.921 | 0.368 | ECOS2HP181CA | ECEC2HP181CA |
| | 30 x 40 | 1.38 | 1.93 | 0.921 | 0.368 | ECOS2HP181DA | ECEC2HP181DA |
| | 35 x 30 | 1.36 | 1.90 | 0.921 | 0.368 | ECOS2HP181EA | ECEC2HP181EA |
| 220 | 30 x 45 | 1.50 | 2.10 | 0.754 | 0.339 | ECOS2HP221DA | ECEC2HP221DA |
| | 35 x 35 | 1.54 | 2.16 | 0.754 | 0.301 | ECOS2HP221EA | ECEC2HP221EA |
| 270 | 35 x 40 | 1.76 | 2.46 | 0.614 | 0.276 | ECOS2HP271EA | ECEC2HP271EA |
| 330 | 35 x 45 | 1.99 | 2.79 | 0.502 | 0.251 | ECOS2HP331EA | ECEC2HP331EA |
| 390 | 35 x 50 | 2.22 | 3.11 | 0.425 | 0.234 | ECOS2HP391EA | ECEC2HP391EA |

Design and specifications are subject to change without notice.

Contact the factory or your sales representative for technical specifications before purchase and/or use.

When safety concerns arise, please contact Panasonic immediately for technical consultation.