SPECIFICATIONS

RF-7850A-AT002 Airborne Antenna







The Harris RF-7850A-AT002 is a vertically polarized, omni-directional UHF antenna operating within the 225-512 MHz frequency range. Designed for use with the Harris RF-7850A Falcon III® Airborne Networking radios, the AT002 is ruggedized for reliability during use on helicopters and subsonic aircraft. This antenna handles up to 150 watts of power, does not require external tuning and is DC grounded to drain static charges.

ELECTRICAL	
Frequency Range	225 – 512 MHz
Impedance	50 Ohms
VSWR	3.0 : 1 maximum
Polarization	Vertical
Radiation Pattern	Omni-directional
RF Power Capacity	150 watts
Gain	+1 dBi
MECHANICAL	
Connector	TNC Female
Maximum Dimensions (l x w x h)	8.75 H x 11.5 W x 3.75 D in (22.2 H x 29.2 W x 9.45 D cm)
Weight	2.5 lbs (1.13 kg)
Finish	CARC Black

ENVIRONMENTAL	
Altitude	50,000 ft above sea level
Impact Shock	30 g
Steady State Acceleration	6 g
Temperature	-65° F to +131 F (-54° C to +55° C) (operational) -80° F to +185° F (-62° C to +85° C) (non-operational)
MIL-STD-810G	Humidity Fixed-Wing Vibration Rotary-Wing Vibration Rain Sand and Dust Shock Acceleration Salt Fog





About Harris Corporation

Harris Corporation is a leading technology innovator, solving customers' toughest mission-critical challenges by providing solutions that connect, inform and protect. Harris supports government and commercial customers around the world.

Learn more at harris.com.

FLORIDA | NEW YORK | VIRGINIA | BRAZIL | UNITED KINGDOM | UAE | SINGAPORE