

HDC MEMC 2 MC**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Flexible**

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

| | |
|------------|----------------------------|
| Version | Data module |
| Order No. | 2748560000 |
| Type | HDC MEMC 2 MC |
| GTIN (EAN) | 4050118890730 |
| Qty. | 2 pc(s). |

HDC MEMC 2 MC**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|---------|-----------------|------------|
| Depth | 29.4 mm | Depth (inches) | 1.157 inch |
| Height | 34 mm | Height (inches) | 1.339 inch |
| Width | 34.2 mm | Width (inches) | 1.346 inch |
| Net weight | 7.1 g | | |

Temperatures

| | |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 125 °C |
|-------------------|-------------------|

General data

| | | | |
|------------------------------|---------------|--------------------------------------|--------|
| Material | Polycarbonate | Number of poles | 2 |
| Plugging cycles | ≥ 500 | Pollution severity | 3 |
| Rated current (DIN EN 61984) | 10 A | Rated impulse voltage (DIN EN 61984) | 0.8 kV |
| Rated voltage (DIN EN 61984) | 50 V | Required plug-in slots | 2 |
| Series | ModuPlug | Surge voltage category | III |
| Type | Male | UL 94 flammability rating | V-0 |

PE connection data

| | |
|--------------------|-----------------------------------|
| Connection type PE | Screw connection via module frame |
|--------------------|-----------------------------------|

Version

| | | | |
|-------------------------------|---------------------|-------------------------------|----------------------|
| Conductor cross-section, max. | 2.5 mm ² | Conductor cross-section, min. | 0.14 mm ² |
|-------------------------------|---------------------|-------------------------------|----------------------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002312 | ETIM 7.0 | EC002312 |
| ETIM 8.0 | EC002312 | ECLASS 9.0 | 27-44-02-92 |
| ECLASS 9.1 | 27-44-02-18 | ECLASS 10.0 | 27-44-02-92 |
| ECLASS 11.0 | 27-44-02-92 | | |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|---|--|
| Approval/Certificate/Document of Conformity | Manufacturer's declaration |
| Engineering Data | STEP |
| Catalogues | Catalogues in PDF-format |

Data sheet

HDC MEMC 2 MC

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

