

### 050-331

### **PRODUCT BRIEF**

PC BOARD MOUNT DUAL-TRANSMITTER
SMPTE 3G-SDI AND HD-SDI
(2) 850NM VCSEL TRANSMITTERS
SMALL & COMPACT WITH RUGGED CONSTRUCTION FOR
HARSH ENVIRONMENTS

REV	DESCRIPTION	DATE	APPROVED
Α	Initial Release	1/16/2015	SZ
В	Per DCN53850	2/6/2015	SZ
С	Per DCN55452 (revised Samtec connector part numbers)	05/29/15	TC



### PC Board Mount Fiber Optic Dual-Transmitter, 3G-SDI & HD-SDI, MMF, 3.3V



Glenair 050-331, is a ruggedized harsh environment PC Board Mount Dual-transmitter with electrical and optical functionality similar to transmitters in SFP transceivers but with mechanical design that is suited to the harsh temperature and vibration environments found in Military, Aerospace, Railway, Oil and Gas, and Industrial applications. The board mount optical dual-transmitters also support Digital Monitoring Interface (DMI) features in accordance with SFF 8472. The dual-transmitter interfaces with a host board through a high speed electrical connector.



Each transmitter includes a Transmitter Optical Subassembly (TOSA) and laser driver circuitry. The TOSA, containing an 850 nm VCSEL (Vertical Cavity Surface Emitting Laser) light source, is located at the optical interface and mates with the GC optical connector. The TOSA is driven by a laser driver, which converts differential logic signals into an analog laser diode drive current. This laser driver circuit regulates the optical power at a constant level provided the data pattern is relatively DC balanced and can support SMPTE EG 34:2004 Pathological conditions CASE 1, CASE2, and CASE 3 for HD-SDI and 3G-SDI

#### **KEY FEATURES/BENEFITS**

- SMPTE EG 34:2004 Compliant to Pathological Conditions CASE 1, CASE 2 and CASE 3.
- SMPTE ST 297:2006 (3G-SDI & HD-SDI)
- SMPTE 424 Compliant (3G-SDI)
- SMPTE 292 Compliant (HD-SDI)
- SFP Compatible Electrical Input signal levels
- 850nm VCSEL support 3G-SDI & HD-SDI
- Industry standard CML input and outputs that make for simple integration on customer host PCB
- Glenair Rugged GC Optical connector withstand high shock and vibration
- Dual-transmitter is securely mounted with screws to PCB to ensure excellent shock and vibration performance
- High-Speed Electrical plug-in connector eliminates the need for soldering & enables ease of servicing
- Captive screws to simplify assembly operations
- Small: Approx. 0.8" x 0.9" x 0.5"

- -40°C to +85°C Operating Case Temperature
- Glenair fiber jumpers, FA02454, connect from dual-transmitter to any Glenair Mil/Aero Fiber Optic Connector
- Evaluation fixtures available
- Optional Digital Diagnostic and Monitoring (DMI) based on SFF-8472, enables monitoring of:
  - Transmitted optical power for each channel
  - Laser bias current per laser
  - Temperature
  - Supply voltage

#### **APPLICATIONS**

- Harsh Environment such as: Airborne, Tactical, Railway, Industrial, Oil and Gas and Shipboard applications
  - o SMPTE 3G & HD-SDI Video Applications

FAX: 818-500-9912

#### **HOW TO ORDER**

GLENAIR, INC.

Table 1 Part Number Options

Part Number	Description
050-331-1	HD-SDI, without DMI
050-331-1-D	HD-SDI, with DMI
050-331-2	3G-SDI, without DMI
050-331-2-D	3G-SDI, with DMI

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA




· FAX: 818-500-9912

#### **TYPICAL PERFORMANCE:**

GLENAIR, INC.

SMPTE EG 34:2004 Pathological CASE 3 – Typical 3G-SDI Link Performance 050-331 (Transmitter) connected to 050-332 (Receiver) with test conditions as shown:





#### Ratings and Specifications

#### TABLE 2 ABSOLUTE MAXIMUM RATINGS

Parameter	Symbol	Min	Тур	Max	Units	Notes
Storage Temperature	Ts	-55		+100	°C	
Supply Voltage	V <sub>cc</sub>	-0.4		3.8	V	VccT may not differ by more than 0.5V

#### **TABLE 3 OPERATING CONDITIONS**

Parameter	Symbol	Min	Тур	Max	Units	Notes
Operating Temperature, Case	T <sub>op</sub>	-40		+85	°C	
Supply Voltage	V <sub>cc</sub>	3.135	3.3	3.465	V	
Supply Current	Icc		180	200	mA	Typical @ +85°C
Power Supply Noise (Peak-Peak)	$V_{cc\_ripple}$			100	mV	

#### TABLE 4 ELECTRO-OPTICAL CHARACTERISTICS – TRANSMITTER

Parameter	Symbol	Min	Тур	Max	Units	Notes
Optical Output Power	Pout	-8	-5	-3	dBm	850nm VCSEL,
						1.5Gbps & 2.97Gbps
Extinction Ratio	Er	8	10		dB	1.5Gbps & 2.97Gbps
Optical Wavelength	$\lambda_{OUT}$	830	850	860	nm	
Spectral Width, rms	Δλ			0.85	nm	
Relative Intensity Noise	RIN			-117	dB/Hz	
Timing Jitter	TJ			1	UI	SMPTE 292, 1.5 Gbps, Color bar
Alignment Jitter	AJ			0.2	UI	SMPTE 292, 1.5 Gbps, Color bar
Timing Jitter	TJ			2	UI	SMPTE 424, 2.97Gbps, Color bar
Alignment Jitter	AJ			0.2	UI	SMPTE 424, 2.97Gbps, Color bar
Transmitter Differential Input Impedance	Zin		100		Ohms	AC coupled Internally
Differential Input Voltage	Vin_d	250		2200	$mV_{p-p}$	CML, 100 ohm

#### TABLE 5 RESERVED

Parameter	Symbol	Min	Тур	Max	Units	Notes

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

**GLENAIR, INC.** 1211 AIR WAY GLENDALE, CA 91201-2497 TEL: 818-247-6000 FAX: 818-500-9912



#### Ratings and Specifications (continued)

#### TABLE 6 COMPLIANCE SPECIFICATIONS

GLENAIR, INC.

CHARACTERISTIC	Standard	Condition	Notes
Mechanical Shock	MIL-STD-810	Para. 516.6, proc. I, 650g	0.9 ms operating
Mechanical Vibration	MIL-STD-810	Para. 514.6, 38g rms	Random, operating
ESD	MIL-STD-883		1000V HBM
Flame Resistance	MIL-STD-1344	Method 1012, Cond. B	30 seconds
Damp Heat	MIL-STD-1344	Method 1002.2, Cond. B	10 cycles , 24 hours
Eye Safety	CDRH and IEC-825	Class 1 Laser Product	

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

· 1211 AIR WAY · GLENDALE, CA 91201-2497 · TEL: 818-247-6000 · FAX: 818-500-9912



#### FIGURE 1 - OUTLINE DRAWING CONTINUED (MARKING)

#### LABELING:

GLENAIR, INC.

Each unit will be shipped in an antistatic bag. The label on the antistatic bag shall be at a minimum Arial size 10 black font and contain at a minimum the following information:

ANTISTATIC BAG LABEL:

Glenair

Cage Code (06324)

Part Number (PN 050-xxx as required)


Date Code (DC xxxx)

Serial Number (SN 123456)

Each unit will be marked, either with a label or laser engraving, as follows:

- 1. Marking font to be Arial, greater than .08 inches in height.
- 2. Minimum Marking on each part will include the following:
  - Glenair
  - Serial number
  - Glenair Part Number

Example Minimum Marking: GLENAIR SN123456 050-331-2-D



©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA


www.glenair.com PAGE 6 of 16 E-mail: sales@glenair.com

1211 AIR WAY GLENDALE, CA 91201-2497 TEL: 818-247-6000 FAX: 818-500-9912



· FAX: 818-500-9912

#### **FUNCTIONAL DESCRIPTION**



#### TRANSMITTER SECTION

Transmit Disable (TX1\_Disable and TX2\_Disable)

The transmitters accept a TTL and CMOS compatible transmit disable control signal input that shuts down the transmitter optical output. A high signal disables the transmitter while a low signal allows normal dual-transmitter operation. Also laser is disabled when TX Disable is open. In the event of a fault (e.g. eye safety circuit activated), cycling this control signal resets the module. Host systems should allow a 10ms interval between successive assertions of this control signal.

Transmit Fault (TX1\_FAULT and TX2\_FAULT)

A catastrophic laser fault will activate the transmitter signal, TX\*\_FAULT, and disable the laser. This signal is an open collector output (pull-up required on the host board). A low signal indicates normal laser operation and a high signal indicates a fault. The TX\*\_FAULT will be latched high when a laser fault occurs and is cleared by toggling the TX\*\_DISABLE input or cycling the power of the dual-transmitter. The transmitter fault condition can also be monitored via the optional 2-wire serial interface (address A2, byte 110, bit 2).

Eye Safety Circuit

GLENAIR, INC.

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA



FAX: 818-500-9912

The Transmitters provides Class 1 eye safety by design and is compliant with US FDA CDRH AEL Class 1 and EN(IEC) 60825-1,2, EN60950 Class 1. The eye safety circuit continuously monitors optical output power levels and will disable the transmitter and assert a TX\_FAULT signal upon detecting an unsafe condition. Such unsafe conditions can be created by inputs from the host board (Vcc fluctuation, unbalanced code) or faults within the module.

#### **FUNCTIONAL I/O**

The PC board mount dual-transmitter accepts industry standard differential signals such as LVPECL and CML within the scope of the SFP MSA. To simplify board requirements, transmitter bias resistors and ac coupling capacitors are incorporated, per SFF-8074i, and hence are not required on the host board. The module is AC-coupled and internally terminated.

Figure 3 illustrates a recommended interface circuit to link the PC board mount dual-transmitter to the supporting Physical Layer integrated circuits.

The PC board mount dual-transmitter interfaces with the host circuit board through twenty I/O pins identified by function in Table 7. The dual-transmitter high speed transmit and receive interfaces require SFP MSA compliant signal lines on the host board. The TX1\_DISABLE, TX2\_DISABLE, TX1\_FAULT and TX2\_FAULT require TTL lines on the host board (per SFF-8074i) if used. If an application chooses not to take advantage of the functionality of these pins TX1\_Disable and TX2\_Disable need to be tied to GND, TX1\_Fault, TX2\_Fault do not need to be connected.

GLENAIR, INC.

1211 AIR WAY ·


©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

GLENDALE, CA 91201-2497 · TEL: 818-247-6000



FAX: 818-500-9912

#### FIGURE 3 RECOMMENDED BOARD MOUNT DUAL-TRANSMITTER HOST BOARD SCHEMATIC



©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA




FAX: 818-500-9912

Digital Diagnostic Interface and Serial Identification (EEPROM)

The PCB mount Dual-Transmitter is derived from the SFF-8074i SFP specification and with SFF-8472, the SFP specification for Digital Diagnostic Monitoring Interface, but modified to account for Dual-Transmitter functionality. Both specifications can be found at http://www.sffcommittee.org.

FIGURE 4 - DIGITAL DIAGNOSTIC MEMORY MAP OVERVIEW

GLENAIR, INC.



The PCB mount Dual-Transmitter features EEPROM for Serial ID, which contains the product data stored for retrieval by host equipment. This data is accessed via the 2-wire serial EEPROM protocol of the ATMEL AT24C01A or similar, derived from with the industry standard SFP Multi-Source Agreement but modified to account for Dual-Transmitter functionality. The base EEPROM memory, bytes 0-255 at memory address A0h, is organized in compliance with SFF-8074i.


©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

www.glenair.com PAGE 10 of 16 E-mail: sales@glenair.com



#### Required Host Board Components

A power supply noise rejection filter as describe in SFP MSA is required on the host PCB to meet data sheet performance. This filter incorporates an inductor which should be rated 400 mADC and 1 Ω series resistance or better. It should not be replaced with a ferrite. The required filter is illustrated in Figure 4. Also, the host PCB for the board mount dual-transmitter requires 4.7 K to 10 KΩ pull-up resistors for TX1\_FAULT, TX2\_FAULT, SCA and SDL lines.



#### Fiber Compatibility

The Dual transmitter is capable of error free signal detection at 2 to 1000 meters with OM3 50/125 µm fiber, 2 to 220 meters with OM2 50/125 µm fiber, and at 2 to 110 meters with OM1 62.5/125 µm fiber, for 3G-SDI data rate

#### Electrostatic Discharge (ESD)

The Dual-transmitter is compatible with ESD levels found in typical manufacturing and operating environments as described JEDEC EIA JESD22-A114-A, Class 1C (<2000Volts) HBM. Glenair recommends that devices are handled with ESD precautions to limit exposure to below 500V HBM.

There are two design cases in which immunity to ESD damage is important. The first case is during handling of the dualtransmitter prior to insertion to the host board. To protect the dual-transmitter, it's important to use standard industry ESD handling precautions. These precautions include using grounded wrist straps, work benches, and floor mats in ESD controlled areas. The ESD sensitivity of the Glenair board mount dual-transmitter is compatible with typical industry production environments.

The second case to consider is static discharges to the exterior of the host equipment after installation, in which case the dual-transmitter may be subject to system-level ESD requirements.

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA



· FAX: 818-500-9912

#### **Application Support**

GLENAIR, INC.

To assist in the dual-transmitter design and evaluation process, Glenair offers the following aids:

- Evaluation board & Product Manual, part number 050-330-MMF-EVALBOARD, which facilitates in the testing of the board mount dual-transmitter.
- 3D Step file to support modeling of mechanical fit and routing
- PADS schematic and PCB layout library files that can be exported into customer's PCB software design program
- Applications Aid Example of PCB layout including details of high speed transmission designs

#### **Customer Manufacturing Processes**

This module is mounted with screws and interfaces with a high-speed low cost surface mount electrical connector residing on the host PC board. The board mount dual-transmitter is not designed for aqueous wash, IR reflow, or wave soldering processes and should be mounted on the host board after host PC board has been through its assembly process.

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

www.glenair.com PAGE 12 of 16 E-mail: sales@glenair.com



FAX: 818-500-9912

TARLE 8	TWO-WIRE INTERFACE ID: DATA FIELDS – ADDRESS A0H
IABLE U	I WO-WIRE INTERFACE ID. DATA I IELDS — ADDRESS AUR

ABLE 8	I WO-WII	RE INTERFACE ID: DATA FIELDS – ADDRESS	6 <b>A</b> 0H		
Byte	#	Data	Byte	#	Data
Decimal	Hex	Notes	Decimal	Hex	Notes
0	80	Glenair PCB mount Dual Transmitter	37	00	Vendor OUI (NOT USED)
1	04	Serial ID Module Definition	38	00	Vendor OUI (NOT USED)
2	80	"GC" Fiber Optic Connector	39	00	Vendor OUI (NOT USED)
3	00		40	30	"0" Vendor Part Number ASCII character
4	00		41	35	"5" Vendor Part Number ASCII character
5	00		42	30	"0" Vendor Part Number ASCII character
6	00		43	2D	"-" Vendor Part Number ASCII character
7	00		44	33	"3" Vendor Part Number ASCII character
8	00		45	33	"3" Vendor Part Number ASCII character
9	00		46	31	"1" Vendor Part Number ASCII character
10	00		47	2D	"-" Vendor Part Number ASCII character
11	03	NRZ	48	32	"2" Vendor Part Number ASCII character (Note 5)
12	1E	BR, 3Gbps	49	20	Note 5
13	00		50	20	" " Vendor Part Number ASCII Character
14	00		51	20	" " Vendor Part Number ASCII Character
15	00		52	20	" " Vendor Part Number ASCII Character
16	64	1000m of 50/125mm Fiber @ 2.97 Gbps (Note 2)	53	20	" " Vendor Part Number ASCII Character
17	0E	140m of 62.5/125mm Fiber @ 2.97Gbps (Note 3)	54	20	" " Vendor Part Number ASCII Character
18	00		55	20	" " Vendor Part Number ASCII Character
19	00		56	20	" " Vendor REV Level ASCII Character
20	47	"G" Vendor NAME ASCII Character	57	20	" " Vendor REV Level ASCII Character
21	4C	"L" Vendor NAME ASCII Character	58	20	" " Vendor REV Level ASCII Character
22	45	"E" Vendor NAME ASCII Character	59	20	" " Vendor REV Level ASCII Character
23	4E	"N" Vendor NAME ASCII Character	60	03	Hex Byte of Laser Wavelength (Note 6)
24	41	"A" Vendor NAME ASCII Character	61	52	Hex Byte of Laser Wavelength (Note 6)
25	49	"I" Vendor NAME ASCII Character	62		RESERVED
26	52	"R" Vendor NAME ASCII Character	63		Check sum code for ID fields 0-62 (Note 7)
27	20	" " Vendor NAME ASCII Character	64	00	, ,
28	20	" " Vendor NAME ASCII Character	65	18	Hardware TX_Disable, TX_Fault,
29	20	" " Vendor NAME ASCII Character	66	00	
30	20	" " Vendor NAME ASCII Character	67	00	
31	20	" " Vendor NAME ASCII Character	68-83		Serial Number, ASCII (Note 8)
32	20	" " Vendor NAME ASCII Character	84-91		Date Code (Note 9)
33	20	" " Vendor NAME ASCII Character	92	68	Diagnostic Monitoring Type
34	20	" " Vendor NAME ASCII Character	93	A0	Enhanced Options
35	20	" " Vendor NAME ASCII Character	94	05	SFF-8472 rev 11.0
36	00		95		Checksum for bytes 64-94 (Note 7)
			96-255	00	

#### Notes:

GLENAIR, INC.

- 1. RESERVED
- 2. OM3 (2000 MHz-km)
- 3. OM1 (275 MHz-km)
- 4. RESERVED.
- 5. Table 1, Part number options/extensions
- $6. \ Laser \ wavelength \ is \ represented \ in \ 16 \ unsigned \ bits. \ The \ hex \ representation \ of \ 850 nm \ is \ 0352.$
- 7. Addresses 63 and 95 are checksums calculated per SFF-8472 and SFF-8074, and stored prior to product shipment.
- 8. Addresses 68-83 specify the module's ASCII serial number and will vary by unit.
- 9. Addresses 84-91 specify the module's ASCII date code and will vary according to manufactured date-code.

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

www.glenair.com PAGE 13 of 16 E-mail: sales@glenair.com



FAX: 818-500-9912

Table 9 Two-Wire interface ID: Data Fields – Address A2h

NOTE: RX Data fields are not applicable in this table (i.e. Addresses 32-39 and 104-105)

Byte #	Data	Byte #	Data	Byte #	Data
Decimal	Notes	Decimal	Notes	Decimal	Notes
0	Temp H Alarm MSB (Note 1)	26	TX Pwr L Alarm MSB (Note 4)	104	Reserved
1	Temp H Alarm LSB (Note 1)	27	TX Pwr L Alarm LSB (Note 4)	105	Reserved
2	Temp L Alarm MSB (Note 1)	28	TX Pwr H Warning MSB (Note 4)	106	Reserved
3	Temp L Alarm LSB (Note 1)	29	TX Pwr H Warning LSB (Note 4)	107	Reserved
4	Temp H Warning MSB (Note 1)	30	TX Pwr L Warning MSB (Note 4)	108	Reserved
5	Temp H Warning LSB (Note 1)	31	TX Pwr L Warning LSB (Note 4)	109	Reserved
6	Temp L Warning MSB (Note 1)	32	Reserved	110	Status/Control
7	Temp L Warning LSB (Note 1)	33	Reserved	111	Reserved
8	Vcc H Alarm MSB (Note 2)	34	Reserved	112	Flag Bits
9	Vcc H Alarm LSB (Note 2)	35	Reserved	113	Flag Bits
10	Vcc L Alarm MSB (Note 2)	36	Reserved	114	Reserved
11	Vcc L Alarm LSB (Note 2)	37	Reserved	115	Reserved
12	Vcc H Warning MSB (Note 2)	38	Reserved	116	Flag Bits
13	Vcc H Warning LSB (Note 2)	39	Reserved	117	Flag Bits
14	Vcc L Warning MSB (Note 2)	40-45	Reserved	118	Reserved
15	Vcc L Warning LSB (Note 2)	56-94	External Cal Constants (Note 6)	119	Reserved
16	Tx Bias H Alarm MSB (Note 3)	95	Checksum for bytes 0-94	120-122	Reserved
17	Tx Bias H Alarm LSB (Note 3)	96	Temperature MSB (Note 1)	123	Reserved
18	Tx Bias L Alarm MSB (Note 3)	97	Temperature LSB (Note 1)	124	Reserved
19	Tx Bias L Alarm LSB (Note 3)	98	Vcc MSB (Note 2)	125	Reserved
20	Tx Bias H Warning MSB (Note 3)	99	Vcc LSB (Note 2)	126	Reserved
21	Tx Bias H Warning LSB (Note 3)	100	TX Bias MSB (Note 3)	127	Reserved (Note 8)
22	Tx Bias L Warning MSB (Note 3)	101	TX Bias LSB (Note 3)	128-247	Customer Writable (Note 9)
23	Tx Bias L Warning LSB (Note 3)	102	TX Power MSB (Note 4)	248-255	Vendor Specific
24	TX Pwr H Alarm MSB (Note 4)	103	TX Power LSB (Note 4)		
25	TX Pwr H Alarm LSB (Note 4)				

#### Notes

- 1. Temperature (Temp) is decoded as a 16 bit signed twos compliment integer in increments of 1/256 °C.
- 2. Supply voltage (VCC) is decoded as a 16 bit unsigned integer in increments of 100  $\mu$ V.
- 3. Laser bias current (Tx Bias) is decoded as a 16 bit unsigned integer in increments of 2 µA.
- 4. Transmitted average optical power (Tx Pwr) is decoded as a 16 bit unsigned integer in increments of 0.1 μW.
- 5. Reserved

GLENAIR, INC.

- 6. Bytes 56-94 are not intended from use but have been set to default values per SFF-8472.
- 7. Bytes 95 is a checksum calculated (per SFF-8472) and stored prior to product shipment.
- 8. Byte 127 accepts a write but performs no action (reserved legacy byte).
- 9. Bytes 128-247 are write enabled (customer writable).

©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA



FAX: 818-500-9912

TABLE 10 DIGITAL DIAGNOSTIC MONITOR CHARACTERISTICS (WHEN APPLICABLE)

PARAMETER	Symbol	MIN.	Units	Notes
Dual Transmitter Internal Temperature Accuracy	TINT	±3.0	°C	Temperature is measured internal to the Dual Transmitter and is valid from -40°C to +85 °C case temperature
Dual Transmitter internal Supply Voltage accuracy	VINT	±0.1	V	Supply voltage is measured internal to the Dual Transmitter and can, with less accuracy, be correlated to the voltage at the Vcc pin. Valid over 3.3V ±5%
Dual Transmitter Laser DC Bias Current				
Accuracy	IINT	±10	%	
Dual Transmitter Average Optical				Coupled into 50/125 mm MM fiber.
Output Power Accuracy	PT	±3.0	dB	Valid from -1dBm to -10dBm


©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA



#### **ACCESSORIES**

#### Fiber Optic Jumper Cables to support connection to Mil/Aerospace Connectors **KEY FEATURES:**

- Jumper cable between Glenair Dual-transmitter (end A) and Mil/Aero Connector termini (End B)
- Offered with either Multimode and Single Mode fibers



#### PCB Threaded Inserts, PN 059-0007

#### **KEY FEATURES**

- Simplifies installation of board mount dual-transmitters eliminating the need for washers and nuts
- Soldered to PCB to eliminate need for handling nuts during assembly
- Existing Options to support PCB thickness from 0.03" to 0.92"
- Can support thicker PCB if required

#### EVALUATION Boards, PN 050-330, Include

- Manual with test block diagram, schematic and
- **Evaluation board PCBA**
- Multiple types of board mount Dual-transmitter modules supported by this evaluation board
- 2 fiber optic cables



©2014 Glenair, Inc. REV: C US Cage Code 06324 Printed in USA

PAGE 16 of 16 E-mail: sales@glenair.com www.glenair.com

1211 AIR WAY GLENDALE, CA 91201-2497 TEL: 818-247-6000 FAX: 818-500-9912