

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0887283602

Status:

Active

Overview:

usb

Description:

Universal Serial Bus (USB) Shielded I/O Cable Assembly, Type A-to-Pigtail, USB 1.1, 5.0m (16.40'), Black

Documents:

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family

Cable Assemblies

Series

88740

Connector to Connector

USB Type A-to-Pigtail

Overview

usb

Product Name

USB

Physical

Cable Length

5.0m (16.40')

Circuits (Loaded)

4

Gender

Male-Pigtail

Lock to Mating Part

Yes

Packaging Type

Bag

Pitch - Mating Interface (in)

0.098 In

Pitch - Mating Interface (mm)

2.50 mm

Single Ended

Yes

Wire Insulation Diameter

N/A

Wire Size AWG

28

Wire/Cable Type

Round

Electrical

Current - Maximum per Contact

1A

Shielded

Yes

Voltage - Maximum

30V

Material Info

Reference - Drawing Numbers

Sales Drawing

SD-88738-001



image - Reference only

Series

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.



Search Parts in this Series

88740Series

Mates With

Universal Serial Bus (USB) Type A Receptacle [67329](#) , [67230](#) , [89485](#)

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



887329302	USB 28#/22#	3340+0/-50	887808229	887800019
887329002	USB 28#/28#	820+0/-30	887808218	887800019
887329220	USB 28#/24#	2090+0/-40	887808234	887800043
887329120	USB 28#/24#	1320±25	887808243	887800043
887329020	USB 28#/24#	820±15	887808243	887800043
887329402	USB 28#/20#	5010+0/-80	887808230	887800019
887329202	USB 28#/24#	2090+0/-40	887808239	887800019
887329102	USB 28#/26#	1320+0/-30	887808228	887800019
887328102	USB 28#/24#	1800+0/-30	887808239	887800019
887328100	USB 28#/24#	1800+0/-30	887808238	887800043
887328000	USB 28#/26 #	1000+0/-30	887808204	887800043
887328002	USB 28#/26#	1000+0/-30	887808228	887800019
MOLEX P/N	DESCRIPTION	LENGTH	CABLE P/N	PVC P/N

ENTER DESCRIPTION			EC NO: DG2006-0163			2006/01/20			2006/01/20			2006/01/20			2006/01/20																	
DRWN: PDAI			CHKD:			APPR: TKAN			DESCRIPTION			REV																				
									QUALITY SYMBOLS			GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY			SCALE ---			DESIGN UNITS METRIC			THIRD ANGLE PROJECTION								
									▽=0						mm			INCH			DRAWN BY XHLEI			DATE 2006/01/20			TITLE USB A-B CABLE ASSY					
									▽=0			4 PLACES			± ---			± ---			CHECKED BY ZXDENG			DATE 2006/01/20								
												3 PLACES			± ---			± ---														
												2 PLACES			± ---			± ---														
															1 PLACE			± ---			± ---			APPROVED BY BORON			DATE 2006/01/20			molex MOLEX INCORPORATED		
															ANGULAR ± ---°																	
															DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLE			DOCUMENT NO. SD-88732-002			SHEET NO. 1 OF 2								
																		SIZE A4			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

	7	6	5	4	3	2	1																																																																									
E	<div>NOTE:1</div> <div>1.MOLDED WITH PVC RESIN P/N:SEE TABLE</div> <div><div>⏏</div>2.ELECTRICAL PERFORMANCE:</div> <div>2.1 DIELECTRIC STRENGTH</div> <div>2.2 INSULATION RESISTANCE</div> <div>2.3 CONDUCTIVE RESISTANCE</div> <div>2.4 CABLE IMPEDANCE</div> <div>2.5 ATTENUATION</div> <div>2.6 PROPAGATION DELAY</div> <div>2.7 SIGNAL PAIR SKEW</div> <div>RETER TO ES-003 ELECTRICAL SPECIFICATION FOR DETAILS</div> <div>3.THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.</div>							E																																																																								
D								D																																																																								
C								C																																																																								
B	<table><tr><td></td><td>J</td><td>COPPER FOIL 877801083</td><td></td><td>2</td></tr><tr><td></td><td>H</td><td>TERMINAL</td><td></td><td>8</td></tr><tr><td></td><td>G</td><td>HOUSING 887809085</td><td></td><td>1</td></tr><tr><td></td><td>F</td><td>REAL SHELL 887809082</td><td></td><td>1</td></tr><tr><td></td><td>E</td><td>FRONT SHELL 887809081</td><td></td><td>1</td></tr><tr><td></td><td>D</td><td>USB CABLE SEE TABLE</td><td></td><td></td></tr><tr><td></td><td>C</td><td>REAR SHELL 887809084</td><td></td><td>1</td></tr><tr><td></td><td>B</td><td>FRONT SHELL 887809083</td><td></td><td>1</td></tr><tr><td></td><td>A</td><td>CRIMP HOUSING 887809086</td><td></td><td>1</td></tr><tr><td></td><td colspan="2">PIN ASSIGNMENTS</td><td>ITEM</td><td>DESCRIPTION</td><td>L</td><td>QTY.</td></tr></table>								J	COPPER FOIL 877801083		2		H	TERMINAL		8		G	HOUSING 887809085		1		F	REAL SHELL 887809082		1		E	FRONT SHELL 887809081		1		D	USB CABLE SEE TABLE				C	REAR SHELL 887809084		1		B	FRONT SHELL 887809083		1		A	CRIMP HOUSING 887809086		1		PIN ASSIGNMENTS		ITEM	DESCRIPTION	L	QTY.	B																				
	J	COPPER FOIL 877801083		2																																																																												
	H	TERMINAL		8																																																																												
	G	HOUSING 887809085		1																																																																												
	F	REAL SHELL 887809082		1																																																																												
	E	FRONT SHELL 887809081		1																																																																												
	D	USB CABLE SEE TABLE																																																																														
	C	REAR SHELL 887809084		1																																																																												
	B	FRONT SHELL 887809083		1																																																																												
	A	CRIMP HOUSING 887809086		1																																																																												
	PIN ASSIGNMENTS		ITEM	DESCRIPTION	L	QTY.																																																																										
A	<table><tr><td rowspan="5">ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI CHKD: APPR:TKAN</td><td rowspan="5">2006/01/20 2006/01/20 2006/01/20</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4"><div>▼=0</div><div>⏏=0</div></td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY</td><td>DATE</td><td colspan="4" rowspan="2">TITLE USB A-B CABLE ASSY</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td><td>XHLEI</td><td>2006/01/20</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td><td>CHECKED BY</td><td>DATE</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td><td>ZXDENG</td><td>2006/01/20</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td><td>APPROVED BY</td><td>DATE</td><td colspan="4" rowspan="2">MATERIAL NO. SEE TABLE</td><td colspan="2" rowspan="2">DOCUMENT NO. SD-88732-002</td><td colspan="2" rowspan="2">SHEET NO. 2 OF 2</td></tr><tr><td colspan="2">ANGULAR ±---°</td><td>BORON</td><td>2006/01/20</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2"></td><td colspan="2">SIZE A4</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>							ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI CHKD: APPR:TKAN	2006/01/20 2006/01/20 2006/01/20	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		<div>▼=0</div> <div>⏏=0</div>		mm	INCH	DRAWN BY	DATE	TITLE USB A-B CABLE ASSY				4 PLACES	±---	±---	XHLEI	2006/01/20	3 PLACES	±---	±---	CHECKED BY	DATE	MOLEX INCORPORATED				2 PLACES	±---	±---	ZXDENG	2006/01/20	1 PLACE	±---	±---	APPROVED BY	DATE	MATERIAL NO. SEE TABLE				DOCUMENT NO. SD-88732-002		SHEET NO. 2 OF 2		ANGULAR ±---°		BORON	2006/01/20	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SIZE A4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A
ENTER DESCRIPTION EC NO: DG2006-0163 DRWN:PDAI CHKD: APPR:TKAN	2006/01/20 2006/01/20 2006/01/20	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY					SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																			
			<div>▼=0</div> <div>⏏=0</div>		mm	INCH	DRAWN BY				DATE	TITLE USB A-B CABLE ASSY																																																																				
				4 PLACES	±---	±---	XHLEI				2006/01/20																																																																					
				3 PLACES	±---	±---	CHECKED BY				DATE	MOLEX INCORPORATED																																																																				
				2 PLACES	±---	±---	ZXDENG	2006/01/20																																																																								
1 PLACE	±---	±---	APPROVED BY	DATE	MATERIAL NO. SEE TABLE				DOCUMENT NO. SD-88732-002		SHEET NO. 2 OF 2																																																																					
ANGULAR ±---°		BORON	2006/01/20																																																																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						SIZE A4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																								
	tb_frame_A4_P_ME_T Rev. D 2004/04/02	6	5	4	3	2	1																																																																									