


Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Assembled Ethernet cable, shielded, 4-pair, 26 AWG stranded (7-wire), RAL 5021 (water blue), RJ45 plug/IP20 to RJ45 plug/IP20, line, length: 2 m

Commercial Data

Item number	1403929
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	A08
Product Key	ABNAAR
Catalog Page	Page 386 (C-2-2019)
GTIN	4046356673969
Weight per Piece (including packing)	120.3 g
Weight per Piece (excluding packing)	115 g
Customs tariff number	85444210
Country of origin	CN

Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Technical Data

Product properties

Product type	Data cable preassembled
Number of positions	8
No. of cable outlets	1
Cable outlet	straight

Insulation characteristics

Degree of pollution	2
---------------------	---

Electrical properties

Rated voltage (III/3)	72 V (DC)
Transmission medium	Copper

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	≥ 750
-----------------------------	-------

Material specifications

Flammability rating according to UL 94	V2
--	----

Connector

Connection 1

Handle color	gray
Material	CuSn (Contact)
	Ni/Au (Contact surface)
	PC (Contact carriers)
	PA (Housing)
Insertion/withdrawal cycles	≥ 750
Degree of protection	IP20

Connection 2

Handle color	gray
Material	CuSn (Contact)
	Ni/Au (Contact surface)
	PC (Contact carriers)
	PA (Housing)
Insertion/withdrawal cycles	≥ 750

Cable / line

Cable length	2.00 m
--------------	--------

Ambient conditions

Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Degree of protection	IP20
Ambient temperature (operation)	-20 °C ... 70 °C (RJ45 connector)

Network cable - NBC-R4AC/2,0-94Z/R4AC




1403929

<https://www.phoenixcontact.com/us/products/1403929>

Drawings

Circuit diagram




Network cable - NBC-R4AC/2,0-94Z/R4AC

1403929

<https://www.phoenixcontact.com/us/products/1403929>




Schematic diagram



Connector pin assignment plug RJ45

Dimensional drawing



RJ45 connector, IP20

Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Approvals

ERC **EAC**
Approval ID: 19060508

ERC **EAC**
Approval ID: B.00385/20

Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Classifications

ECLASS

ECLASS-9.0	27060308
ECLASS-10.0.1	27060308
ECLASS-11.0	27060308

ETIM

ETIM 8.0	EC002599
----------	----------

UNSPSC

UNSPSC 21.0	26121600
-------------	----------

Network cable - NBC-R4AC/2,0-94Z/R4AC



1403929

<https://www.phoenixcontact.com/us/products/1403929>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com