
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
GP	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	20APR2014	CW	SH
	B	ADD-3	25OCT2016	PP	SH





SCALE 5:1





SCALE 4:1

1. MATERIAL: 0.25mm THICK STAINLESS STEEL.
2. FINISH: NICKEL, NON PLATED EDGES PERMISSIBLE.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
4. PADS AND VIAS CHASSIS GROUND.
5. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
6. MINIMUM PC BOARD THICKNESS:
   SINGLE SIDED = 1.50 mm
7. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS(EXCEPT IMMERSION SILVER PLATING).
8. REFERENCE APPLICATION SPEC. 114-13120, HOLE C, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS(EXCEPT IMMERSION SILVER PLATING).
9. THE RECOMMENDED DIMENSIONS FOR HOLES ON PAGE 2/2 ARE NOT COMPATIBLE WITH IMMERSION SILVER PLATING HOLES BECAUSE OF OVERLARGE INSERTION FORCE.









WITHOUT KICK-OUT SPRING(PAGE 2)	2227023-3
WITH KICK-OUT SPRING(PAGE 1)	2227023-1
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.2
2 PLC ±0.1
3 PLC ±0.1
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN C. VALENTINE 07NOV2012
CHK M. SCHMITT 07NOV2012
APVD M. SCHMITT 07NOV2012
PRODUCT SPEC 108-1950
APPLICATION SPEC 114-13120
WEIGHT -

TE Connectivity

NAME SFP, 1X1 SINGLE PIECE CAGE, PRESS FIT
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2227023	-


CUSTOMER DRAWING | SCALE 6:1 | SHEET 1 OF 3 | REV B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





SCALE 5:1




SCALE 4:1









THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.2
2 PLC ±0.1
3 PLC ±0.1
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN C. VALENTINE 07NOV2012
CHK M. SCHMITT 07NOV2012
APVD M. SCHMITT 07NOV2012
PRODUCT SPEC 108-1950
APPLICATION SPEC 114-13120
WEIGHT -

TE Connectivity

NAME SFP, 1X1 SINGLE PIECE CAGE, PRESS FIT
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2227023	-

Customer Drawing


SCALE	SHEET	OF	REV
6:1	2	3	B

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
GP	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUTOUT
SCALE 4:1



RECOMMENDED BEZEL AND
PC BOARD ORIENTATION
SCALE 4:1



DETAIL J
SCALE 8:1



THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2009

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.2
2 PLC ±0.1
3 PLC ±0.1
4 PLC ±-
ANGLES ±-

MATERIAL - -

FINISH - -

DWN	07NOV2012 C. VALENTINE
CHK	07NOV2012 M. SCHMITT
APVD	07NOV2012 M. SCHMITT
PRODUCT SPEC	108-1950
APPLICATION SPEC	114-13120
WEIGHT	-

TE Connectivity

NAME SFP, 1X1 SINGLE PIECE CAGE, PRESS FIT -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2227023	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 3 OF 3 | REV B