# Housing - HC-D 15-TFL-66/M1PG21S - 1772340

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



Sleeve housing, for single locking latch, height 66 mm, with screw connection, 1x Pg21, lateral cable entry

## Key commercial data

| | |
|---|---|
| Packing unit | 1 PCE |
| Minimum order quantity | 10 PCE |
| GTIN | 4 017918 037017 |
| Custom tariff number | 85389099 |
| Country of origin | GERMANY |

## Technical data

### General data

| | |
|---|---|
| Note | For contact inserts HC-D15, A10 |
| Design | D15 |
| Height | 66 mm |
| Width | 36 mm |
| Length | 63 mm |
| Housing type | Sleeve housings |
| Locking type | for single locking latch |
| No. of cable exits | 1 |
| Cable exit | Lateral |
| Screw connection | With |
| Type of the screw connection | 1x Pg21 |
| Wrench size, union nut | 28 mm |
| External cable diameter | 10 mm ... 19 mm |

# Housing - HC-D 15-TFL-66/M1PG21S - 1772340

## Technical data

### General data

| | |
|---|---|
| Degree of protection for housing | IP65 |
| Ambient temperature (operation) | -40 °C ... 125 °C |
| Housing material | Aluminum, die-cast |
| Housing surface material | Powder-coated, gray |
| Seal material | NBR |
| Cable gland material | Nickel-plated brass |
| Cable seal material | NBR |

## Classifications

### ETIM

| | |
|---|---|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

### UNSPSC

| | |
|---|---|
| UNSPSC 11 | 31261502 |
| UNSPSC 12.01 | 31261502 |
| UNSPSC 13.2 | 31261502 |
| UNSPSC 6.01 | 31261502 |
| UNSPSC 7.0901 | 31261502 |

### eCl@ss

| | |
|---|---|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27143424 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 7.0 | 27440209 |

## Approvals

### Approvals

Approvals

GOST

# Housing - HC-D 15-TFL-66/M1PG21S - 1772340

## Approvals

Ex Approvals


Approvals submitted

## Approval details

GOST

## Drawings

Dimensioned drawing




© Phoenix Contact 2013 - all rights reserved
http://www.phoenixcontact.com