



8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20			
© COPYRIGHT 20		BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.					
ATLANTIC VERSION TERMINATOR INTERFACE ADAPTER	PART NUMBER	REVISION	DESCRIPTION	FEED TYPE	APPLICATOR STYLE CONVERSION CHART		
	2151722-1	A	FINE CRIMP HEIGHT ADJUST	MECHANICAL	CONVERT TO	PART NUMBERS REQUIRED	
	2151722-2	A	FINE CRIMP HEIGHT ADJUST	PNEUMATIC	PNEUMATIC FEED	2119950-1	1338685-1
					SERVO LATCH PLATE	2119951-1	-
					SMART APPLICATOR	2161326-1	-
	2151722-5	A	FINE CRIMP HEIGHT ADJUST	SERVO LATCH PLATE	2119949-1	1338685-1	5-18022-5
	2151722-6	A	NON-CRIMP HEIGHT ADJUST	SERVO LATCH PLATE	2119951-1	-	8-2151722-5
	2151722-7	A	FINE CRIMP HEIGHT ADJUST	NONE	2161326-1	-	8-2151722-4
7-2151722-7		A	CRIMP TOOLING KIT	-	2119949-1	1338685-1	5-18022-5

APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	1.57 mm [.062]	F
INSUL	3.81 mm [1.50]	O
APPLICATOR INSTRUCTIONS 408-10389		


TERMINAL DATA: FCI TERMINAL		TE CRIMP SPECIFICATION	
TERMINAL NAME: 2.8 FEMALE TERMINAL SWS			
WIRE STRIP LENGTH		INSULATION DIAMETER RANGE	
3.40-4.20 mm [1.34-.165 IN]		Ø1.20-2.10 mm [1.047-.083 IN]	
TERMINAL APPLICATION SPECIFICATION	TE	-	-
TERMINALS APPLIED			

LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

FEED TYPE
MECHANICAL





PNEUMATIC




SERVO
LATCH PLATE



CAM POSITIONS



SHEAR DEPRESSOR DETAIL



TERMINAL SUPPORT LOCATION

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A	66	-	-	SEE SHEET 1	-	-	-

D

C

B

A

D

C


B

A


FEED TYPE MECHANICAL



PNEUMATIC



SERVO LATCH PLATE



CAM POSITIONS

