




# ATS Extrusion Profiles

**ATS PART # ATS-EXL28-300-R0**

## Features & Benefits


- » Aluminum extrusions are the most cost-effective solution for the majority of electronic cooling applications
- » This extrusion profile has 9 fins
- » Extrusion type is straight fin, AL-6063
- » Surface area (in<sup>2</sup>/in) is 15.40



*\*Image above is for illustration purposes only.*

## Thermal Performance

### HEAT SINK THERMAL RESISTANCE



## Product Details

| LENGTH   | WIDTH    | HEIGHT   | FIN SPACING | BASE THICKNESS | FINISH |
|----------|----------|----------|-------------|----------------|--------|
| 304.8 mm | 52.07 mm | 19.05 mm | 6.35 mm     | 3.17 mm        | NONE   |

### NOTES:

- 1) Thermal curve based on 76 mm length.
- 2) Thermal performance data are provided for reference only. Actual performance may vary by application.
- 3) ATS reserves the right to update or change its products without notice to improve the design or performance.
- 4) Contact ATS to learn about custom options available.



**ATS** ADVANCED THERMAL SOLUTIONS, INC.  
Innovations in Thermal Management®

**For more information, to find a distributor or to place an order, visit [www.Qats.com](http://www.Qats.com) or call: 781.769.2800 (North America); +31 (0) 3569 84715 (Europe).**