


GSCX-26

SM Low Frequency Formed Lead Cylindrical Crystal

- Low cost
- Formed leads for SM
- Industrial temperature range
- Miniature size for high density applications




CONFIGURABLE OPTIONS

ParameterOption CodeFrequencyCalibration tolerance±30ppmCircuit condition12.5pF

SPECIFICATIONS

Frequency range	30.0 ~ 165kHz
Dimensions	?2.0 x 6.1mm
Operating temperature	-40 to +85°C
range	
Storage temperature range	-55 to +125°C
Turnover temperature (T ₀)	+25°C ±5°C
Frequency / temp	-0.034 ±0.006ppm/°C ² typ
coefficient	
Static capacitance (C ₀)	0.8 ~ 1.7pF
Motional capacitance (C1)	1 ~ 4fF typ
Equivalent series	30 ~ 50kΩ
resistance (max)	
Ageing	±5ppm max first year
Drive level	1.0µW max
Soldering condition	240°C, 10 sec max

PACKAGE DRAWING







See our

See our

ORDERING INFORMATION

To request a quotation for the GSCX-26 please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at sales@golledge.com.

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

CONSTRUCTION

Press seal cylinder

HANDLING & STORAGE




Human Body Model (HBM) 1A (250V to <500V)



Moisture Sensitivity Level (MSL): 1 (or not applicable)

MATERIAL COMPOSITION




See our statement



Free of conflict minerals. See our declaration



Free of Halogens. See our declaration







OTHER INFORMATION

About Golledge

We are the UK's leading supplier of frequency control products and are proud to serve the global electronics industry. Our philosophy is a focus firmly on your requirements by striving to meet and exceed your needs. We do this by ensuring the utmost quality and consistency in our products and services. If you have any queries about the Golledge service or any of our products please get in touch, we'd love to hear from you.

Come and visit

Eaglewood Park, ILMINSTER, Somerset, TA19 9DQ, England

Give us a call

Tel: +44 1460 256 100 Fax: +44 1460 256 101

Email us

sales@golledge.com

Our Worldwide Distributors

Belgium & Luxembourg

Alcom Electronics NV/SA



info@alcom.be www.alcom.be +32 (0)3 458.30.33

Email

Web

Email

Web

Email

Web

Email

Web

Web

Tel

Tel

Tel

Tel

Tel

France

Equipments Scientifique



comp@es-france.com www.es-france.com +33 1 47 95 99 89

India

V5 Semiconductors ** **5**Semiconductors

sales@v5semiconductors.com v5semiconductors.com +91-80-2661 0621

Netherlands

Alcom Electronics BV

Alcom lectronics

info@alcom.nl alcom.nl +31 (0)10 288.25.00

Russia - Россия



Email elena@efo.ru www.golledge.ru +7(812)327-8654 China, Hong Kong - 中国 / 香港

Meiya China



sales@meiyatech.com www.meiyatech.com +86 755 2823 1923

Germany

MEV Elektronik Service GmbH



info@mev-elektronik.com www.mev-elektronik.com +49 54 24 23 40-0

Israel





sales@phnx.co.il www.phnx.co.il +972 9 764 4800



bjorn.nyjordet@linknordic.com linknordic.com +47 93 22 68 90

Spain & Portugal

R.C. Microelectronica, S.A.



ventas@rcmicro.es www.rcmicro.es +34 93 260 21 66

Our customer feedback is testament to our quality; "Never had such good service as this from anyone in 35 years of being in the industry, this is impressive and has really helped us out of a corner to keep the design flowing" Andy (Senior Design Engineer), "As always your support is state of the art" Nicoleta (Material Management), "Legendary work - as usual it has to be said" John (Operations). To take advantage of our highly praised service get in touch with us today.



Email

Web

Tel

Email Web

Tel

Tel

