




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	ECO	DATE	DWN	APVD
	B4	ADD NEW PN , CASE MATERIAL ADD PA66	ECO-17-006657	06-APR-17	XR,L	T.K
	B3	ADD NEW PN	ECO-16-017849	12-DEC-16	XR,L	T.K



(B4)	1-1721685-3	OMIH-SS-112LM, 0002M	OMIH-SS-112LM	12V	107-84028	k
(B3)	1-1721685-0	OMIH-SS-112LM, 0000M	OMIH-SS-112LM	12V	107-84032	j
(B3)	1-1721685-2	OMIH-SS-112LM,01020	OMIH-SS-112LM	12V	107-84028	i
	1721685-7	OMIH-SS-112LM,00001	OMIH-SS-112LM	12V	107-79006	h
	9-1419121-1	OMIH-SS-148LM	OMIH-SS-148LM	48V	107-79006	k
	8-1419121-9	OMIH-SS-148DM	OMIH-SS-148DM	48V	107-79006	j
	8-1419121-8	OMIH-SS-124LM	OMIH-SS-124LM	24V	107-79006	i
	8-1419121-6	OMIH-SS-124DM	OMIH-SS-124DM	24V	107-79006	h
	8-1419121-4	OMIH-SS-118DM	OMIH-SS-118DM	18V	107-79006	g
	8-1419121-1	OMIH-SS-112LM	OMIH-SS-112LM	12V	107-79006	f
	7-1419121-9	OMIH-SS-112DM	OMIH-SS-112DM	12V	107-79006	e
	7-1419121-6	OMIH-SS-109LM	OMIH-SS-109LM	9V	107-79006	d
	2-1419145-0	OMIH-SS-109DM	OMIH-SS-109DM	9V	107-79006	c
	7-1419121-4	OMIH-SS-106LM	OMIH-SS-106LM	6V	107-79006	b
	7-1419121-3	OMIH-SS-105LM	OMIH-SS-105LM	5V	107-79006	a
	TE PART NO	DESCRIPTION	PART A	PART B	PACK. SPEC.	No.

RELAY TYPE




THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	Davey Liu	25JUL2010	 TE Connectivity OMIH CUSTOMER DRAWING			
CHK	Banghua Yu	26JUL2010				
APVD	Sunny Zhang	27JUL2010				
NAME	-					
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED.		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
mm	0 PLC ± -	1 PLC ± -	A3	00779	C=7-1419121-9	-
	2 PLC ± -	3 PLC ± -	CUSTOMER DRAWING			
	4 PLC ± -	4 PLC ANGLES ± -	SCALE 1:1 SHEET 1 OF 2 REV B4			
MATERIAL	FINISH	-	WEIGHT -			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	ECO	DATE	APVD
-	-	SEE SHEET 1	-	-	-

NOTES:
 1.LOT NO. SYSTEM AS FOLLOWING:




2.GENERAL TOLERANCE AS FOLLOWING:


TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

CONNECTION DIAGRAM
(BOTTOM VIEW)



DRILLING DIAGRAM(2/1)
(BOTTOM VIEW)



		UV RESIN	UV SEAL	16
		EPOXY RESIN	SEAL	15
UL94 V-0		PBT/PA66 (B4)	CASE	14
CLASS E		UEW	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	CP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
		Cu ALLOY	HINGE SPRING	6
	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	5
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	4
		STEEL	CORE	3
		STEEL	ARMATURE	2
		STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Davey Liu 25JUL2010	TE Connectivity	
		CHK Banghua Yu 26JUL2010		
DIMENSIONS: mm		APVD Sunny Zhang 27JUL2010	NAME OMIH CUSTOMER DRAWING	
		PRODUCT SPEC -	SIZE A3	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO 7-1419121-9
MATERIAL -	FINISH -	WEIGHT -	RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 1:1	SHEET 2 OF 2
			REV B4	