NetShelter 2 Post Open Frame Racks

AR201

NetShelter 2 Post Rack 45U #12-24 Threaded Holes Black



2-post racks for networking applications in IT environments.

Includes: Qty 24 #12-24 x 0.5 inch pilot screws, User Manual

Standard Lead Time: Usually in Stock

Physical

Net Weight	11.82 KG
Maximum Height	2121.00 mm
Maximum Width	513.00 mm
Maximum Depth	376.00 mm
Shipping Weight	13.64 KG
Shipping Height	2184.00 mm
Weight Capacity (static load)	340.91 KG
Rack Height	45U
Color	Black
Vertical Posts	3 gauge

Conformance

Regulatory Approvals	UL Listed
Standard Warranty	2 years repair or replace
Standards	EIA-310-D, EIA-310-E


AR201 Features

Bolts to the floor
Ships Unassembled
Powder coat paint finish


NetShelter 2 Post Open Frame Racks Features & Benefits

Agility	
Self squaring design	Allows for fast and easy installation
Total Cost of Ownership	
6061-T6 Structural grade aluminum	Highly quality aluminum ensures product durability


Copyright © American Power Conversion Corp., all rights reserved




TOP VIEW



FRONT VIEW



SIDE VIEW



ISOMETRIC VIEW

NOTES:

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. UNIT NET WEIGHT 26.00 LBS [11.82KG].
3. INSTALLATION MUST COMPLY WITH ALL APPLICABLE NATIONAL AND LOCAL CODES.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

TITLE: InfraStruXure® 2 Post Open Frame Mechanical Layout

PROJECT: SUBMITTAL DRAWINGS | SHEET 1 OF 1

DWG NO: AR200-AR201 | REV. -

DRAWN BY:	M CRAVEN	11/20/03
CHECKED BY:	B SHERIDAN	11/20/03
ENGINEER:	J RUNK	11/20/03

APC®
AMERICAN POWER CONVERSION
132 FAIRGROUNDS RD
WEST KINGSTON, RI 02892