

450Mbps Wireless N Gigabit Router

TL-WR1043ND

Highlights


- Fast Wi-Fi – Wireless N speed up to 450Mbps makes it ideal for video streaming, online gaming and VoIP
- Gigabit ports–All Gigabit ports ensure ultimate transfer speeds
- USB Port – Easily shares printers, files or media with your friends or family locally or over the Internet
- Easily setup – WPA encrypted secure connection at a push of the WPS button
- WDS – wireless bridge provides seamless bridging to expand your wireless network
- Bandwidth Control– IP based bandwidth control allows administrators to determine how much bandwidth is allotted to each PC



450Mbps



WPS



USB 2.0
Port



Gigabit
Port



WDS



Easy
Setup

Features



Speed

- **Blazing Fast Wireless Speed** – Wireless speeds up to 450Mbps
- **Gigabit Wired Speed** – All Gigabit ports ensure ultrafast data transfer speeds
- **Hardware NAT function** – The NAT WAN to LAN throughput can achieve up to 800Mbps+ allowing users to unleash the full potential of their networks



Wi-Fi Range

- **Ultimate Range & Reliable Wi-Fi** – High-powered amplifiers ensure continuous Wi-Fi signal to all your devices while boosting widespread coverage throughout your very large home
- **3 Omni Directional Antennas** – 3 detachable antennas provide maximum Omni-directional wireless coverage



Reliability

- **IP QoS** – Advanced QoS automatically recognizes & prioritizes streaming & gaming applications

Features



Easy Sharing

- **USB Ports for Fast Sharing** – With the USB port, you can access and share a printer as well as your files and media locally. Via the router's FTP server, you can also have access to your files & media with networked devices remotely
- **Built-in Print Server** – Supports wireless printing from multiple computers (works in conjunction with a USB Printer)
- **Built-in Media Server** – Allows users to play music, video and view photos



Ease of Use

- **3-Step Quick Installation** – Easy Setup Assistant supporting multiple languages provides a quick & hassle free installation
- **Fast Encryption** – Easy one-touch WPA wireless security encryption with the WPS button
- **Power On/Off** – Convenient power saving




Security

- **Easy Bandwidth Management** – IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- **VPN Support** – Secure access to your home or office network from remote devices
- **Encryptions for Secure Network** – WPA-PSK/WPA2- PSK encryptions provide active defense against security threats for user networks

Specifications

Hardware

- External Power Supply: 12VDC / 1.5A
- Antenna: 5dBi*3 Detachable Omni Directional (RP-SMA)
- Dimensions (W x D x H): 8.9 x 5.6 x 1.2in. (225 x 141 x 30mm)



Wireless

- **Wireless Standards:** IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
- **Frequency:** 2.4-2.4835GHz
- **Signal Rate:** 11n: Up to 450Mbps(dynamic)
11g: Up to 54Mbps(dynamic)
11b: Up to 11Mbps(dynamic)
- **EIRP:** <20dBm(EIRP)
- **Reception Sensitivity:** 270M: -68dBm@10% PER
130M: -68dBm@10% PER
108M: -68dBm@10% PER
54M: -68dBm@10% PER
11M: -85dBm@8% PER
6M: -88dBm@10% PER
1M: -90dBm@8% PER
- **Wireless Function:** Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
- **Wireless Security:** 64/128/152-bit WEP, WPA / WPA2,WPA-PSK / WPA2-PSK

Specifications

Software

- WAN Type: Dynamic IP/Static IP/PPPoE/
PPTP(Dual Access)/L2TP(Dual Access)/BigPond
- DHCP: Server, Client, DHCP Client List, Address Reservation
- Quality of Service: WMM, Bandwidth Control
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- Dynamic DNS: DynDns, Comexe, NO-IP
- VPN Pass-Through: PPTP, L2TP, IPSec (ESP Head)
- Access Control: Parental Control, Local Management Control, Host List, Access
Scheule,Rule Management
- Firewall Security: DoS, SPI Firewall
IP Address Filter/MAC Address Filter/Domain Filter
IP and MAC Address Binding
- USB Sharing: Support Storage Sharing, FTP Server, Media Server, Print Server
- Certification: CE, FCC, RoHS
- System Requirements: Microsoft Windows 8/7/Vista/XP/2000, MAC OS,
NetWare, UNIX or Linux.
- Environment: Operating Temperature: 0 °C ~40 °C (32 °F ~104 °F)
Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing

Others

Package Contents

- 450Mbps Wireless N Gigabit Router
TL-WR1043ND
- 3 detachable Omni directional antennas
- Power Supply Unit
- Resource CD
- Quick Installation Guide

Related Products:

- 300Mbps Wireless N USB Adapter
TL-WN821N
- 300Mbps Wireless N PCI Adapter
TL-WN951N
- ADSL2+ Modem Router
TD-8816

Others

Ideal to use with



- 300Mbps Wireless N USB Adapter TL-WN821N



- 300Mbps Wireless N PCI Adapter TL-WN951N

Similar Products



- 300Mbps Wireless N Router TL-WR841N



- 450Mbps Wireless Router TL-WR940N



For more information, please visit

http://www.tp-link.com/en/products/details/cat-9_TL-WR1043ND.html#overview

or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

www.tp-link.com