

Auxiliary relay - HR114 - 1131091

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



The auxiliary relays of the HR family are designed as axial armature relays. The HR 114 has a compact design with plug-in base and has up to 6 auxiliary contacts.

Your advantages

- ✓ Reliable and durable operation, thanks to high switching capacity
- ✓ Service-friendly diagnostics, thanks to dust-tight transparent housing
- ✓ Large number of switching operations and low power consumption thanks to precise mechanical construction
- ✓ Space-saving installation, thanks to the compact design
- ✓ Easy startup, thanks to pre-assembled connectors



Key Commercial Data

Packing unit	1
Custom tariff number	85364190

Technical data

Dimensions

General

Note	Order information: An overview of the optional circuit diagrams can be found on the "Download" tab
	Order information: A template for transferring marking text is available on the "Downloads" tab
Scope of delivery	The wall-mounting design is delivered with connector plate.


Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Auxiliary relay - HR114 - 1131091


Drawings

Exploded view



Auxiliary relay - HR114 - 1131091

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27371601
eCl@ss 11.0	27371601
eCl@ss 4.0	27371000
eCl@ss 4.1	27371000

Auxiliary relay - HR114 - 1131091

Classifications

eCl@ss

eCl@ss 5.0	27371600
eCl@ss 5.1	27371600
eCl@ss 6.0	27371600
eCl@ss 7.0	27371601
eCl@ss 9.0	27371601

ETIM

ETIM 2.0	EC001437
ETIM 3.0	EC001437
ETIM 4.0	EC001437
ETIM 6.0	EC001437
ETIM 7.0	EC001437

Accessories

Accessories

Flush-type base

Base module - SOCKET FOR HR114 AND HR115 - 1113840



Connector plate for DIN rail mounting with screw contacts for accommodating HR 114 and HR 115 auxiliary relays