


## REVISION HISTORY

ECO	REV	DESCRIPTION	DATE	APPROVED
	2	PROTO	03-19-02	>



NOTES: UNLESS OTHERWISE SPECIFIED,

- [1] 3V IS IC MINIMUM INPUT VOLTAGE.  
MINIMUM INPUT VOLTAGE REQUIRED TO  
MAINTAIN VOUT MAY BE HIGHER.  
SEE QUICKSTART GUIDE FOR DETAILS.

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
TOLERANCE ON ANGLE ---  
2 PLACES --- 3 PLACES ---  
INTERPRET DIM AND TOL  
PER ASME Y14.5M -1994

THIRD ANGLE PROJECTION



DO NOT SCALE DRAWING

CONTRACT NO.

APPROVALS

DATE

DRAWN MEI

11-02-01

CHECKED

APPROVED

ENGINEER

DESIGNER

Tuesday, May 07, 2002



1630 McCarthy Blvd.  
Milpitas, CA 95035  
Phone: (408)432-1900  
Fax: (408)434-0507

TITLE

SCH,LT1765EFE WIDE INPUT RANGE STEP-DOWN CONVERTER

SIZE

A

CAGE CODE

DWG NO

DC476A

REV

2

SCALE:NONE

FILENAME: 476A-1.PCB

SHEET

1

OF

1