



REVISIONS			
REV	APPR	DATE	



- LAYER 1 (COMPONENT SIDE)
- LAYER 2 (GND)
- LAYER 3 (GND)
- LAYER 4 (SOLDER SIDE)

NOTES : Unless Otherwise Specified

- MATERIAL : FR4 OR EQUIVALENT EPOXY
2 OZ OUTER, 1 OZ INNER COPPER CLAD
THICKNESS .062 +/--.006 TOTAL OF 4 LAYERS
- FINISH : ALL PLATED HOLES .001 MIN. / .0015 MAX. COPPER PLATE
GOLD IMMERSION
SOLDER MASK OVER BARE COPPER (SMOBC)
- SOLDER MASK : BOTH SIDES USING GREEN LPI OR EQUIVALENT
- SILKSCREEN : USING WHITE NON-CONDUCTIVE EPOXY INK
- DO NOT ALTER ARTWORK e.g. TO ADD LOGO, DATE OR TEST CODE.
- SCORING (for production run)



SIZE	QTY	SYM	PLTD	TOL
70	2	+	NO	+/-0.003
94	7	X	YES	+/-0.003
12	56	□	YES	+/-0.003
31	4	◇	YES	+/-0.003

Fabrication Drawing

APPROVALS		LINEAR TECHNOLOGY	
DRAWN	INIT	DATE	
CHECK			
DESIGN	Antonio		
ENGR	Kevin H.		
SCALE = NONE		DES-23xxxx	
		SHT 1 of 1	

TITLE: LT1938EDD			
2.2A, 25V Step-Down Switching Regulator			
SIZE	Demo Circuit 1273A	REV.	A
	NONE		