




ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235<S & SF>	REV: B	SUN REV: Not In VersionControl
LAYER NAME = Top Solder			
	GENERATED : 12/18/2018 3:59:41 PM	TEXAS INSTRUMENTS	




ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = TOP			
	GENERATED : 12/18/2018 3:59:43 PM	TEXAS INSTRUMENTS	




ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = GND			
	GENERATED : 12/18/2018 3:59:46 PM	TEXAS INSTRUMENTS	




ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = PWR			
	GENERATED : 12/18/2018 3:59:48 PM	TEXAS INSTRUMENTS	



ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = BOTTOM			
	GENERATED : 12/18/2018 3:59:50 PM	TEXAS INSTRUMENTS	



ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = Bottom Solder			
	GENERATED : 12/18/2018 3:59:51 PM	TEXAS INSTRUMENTS	




ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = Bottom Silkscreen			
	GENERATED : 12/18/2018 3:59:54 PM	TEXAS INSTRUMENTS	



DRILL CHART :

Symbol	Hit Count	Finished Hole Size	Plated	Hole Type	Hole Length	Routed Path Length	Hole Tolerance	Tenting
O	32	7.87mil <0.200mm>	PTH	Round	-	-		
A	4	7.87mil <0.200mm>	PTH	Round	-	-	+0.00mil/-7.87mil	Bottom Side
B	246	8.00mil <0.203mm>	PTH	Round	-	-	+0.00mil/-4.00mil	Both Sides
C	159	10.00mil <0.254mm>	PTH	Round	-	-	+0.00mil/-4.00mil	Both Sides
[3] D	230	12.00mil <0.305mm>	PTH	Round	-	-	+0.00mil/-4.00mil	Both Sides
F	17	16.00mil <0.406mm>	PTH	Round	-	-	+0.00mil/-4.00mil	Both Sides
G	2	23.62mil <0.600mm>	PTH	Slot	51.18mil <1.300mm>	27.56mil <0.700mm>	+/-3.00mil	
H	20	27.95mil <0.710mm>	PTH	Round	-	-	+/-3.00mil	
I	6	35.43mil <0.900mm>	NPTH	Round	-	-	+/-2.00mil	
J	1	37.99mil <0.965mm>	PTH	Round	-	-	+/-3.00mil	
K	6	39.00mil <0.991mm>	NPTH	Round	-	-	+/-2.00mil	
M	54	45.28mil <1.150mm>	PTH	Round	-	-	+/-3.00mil	
□	40	47.24mil <1.200mm>	PTH	Round	-	-		
N	4	125.00mil <3.175mm>	NPTH	Round	-	-	+/-2.00mil	
	821 Total							

Slot definitions : Routed Path Length = Calculated from tool start centre position to tool end centre position.
Hole Length = Routed Path Length + Tool Size = Slot length as defined in the PCB layout



ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235(S & SF)	REV: B	SUN REV: Not In VersionControl
LAYER NAME = FAB			
	GENERATED : 12/18/2018 3:59:55 PM	TEXAS INSTRUMENTS	



ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: LAUNCHXL-CC3235<S & SF>	REV: B	SUN REV: Not In VersionControl
LAYER NAME = M2 Board Dimensions			
	GENERATED : 12/18/2018 3:59:58 PM	TEXAS INSTRUMENTS	