



REVISIONS		
REV	DESCRIPTION	DATE



COMPONENT SIDE


NOTES : Unless Otherwise Specified

1. MATERIAL : FR4 OR EQUIVALENT EPOXY, 2 OZ. COPPER CLAD
THICKNESS .062 +/- .006 TOTAL OF 2 LAYERS
2. FINISH : ALL PLATED HOLES .001 MIN. / .0015 MAX. COPPER PLATE
ELECTRODEPOSITED TIN-LEAD COMPOSITION
BEFORE REFLOW , SOLDER MASK OVER BARE COPPER (SMOBC)
3. SOLDER MASK : BOTH SIDES USING SR1020 OR EQUIVALENT
4. SILKSCREEN : USING WHITE NON-CONDUCTIVE EPOXY INK
5. ALL DIMENSIONS ARE IN INCHES
6. SCORING:



Fabrication Drawing

SIZE	QTY	SYM	PLTD
20	38	+	PLTD
25	7	X	PLTD
72	2	Y	NPLTD
95	6	Z	PLTD

APPROVALS					1630 McCarthy Blvd. Milpitas, CA 95035 PH: (408)432-1900	
	INIT	DATE				
DRAWN						
CHECK						
DESIGN						
ENGR						
SCALE = NONE			SIZE	A	DC237	LT1506CS8
			REV. A			
			DES- 0270		SHT 1 of 1	

TITLE: 4.5A, 500kHz Step-Down
Switching Regulator