

1	2	3	4	5	6																																																		
<div>DESIGN CROSS SECTION CHART TOTAL THICKNESS 1.6 MM</div> <div><div><div></div><div></div><div></div><div></div><div></div></div><div>L1: TOP CONDUCTOR - COPPER + PLATING 0.035 MM * DIELECTRIC - FR-4 0.175 MM (TOP PRIORITY) L2: L2 PLANE - COPPER 0.035 MM * DIELECTRIC - FR-4 1.11 MM L3: L3 PLANE - COPPER 0.035 MM * DIELECTRIC - FR-4 0.175 MM L4: BOTTOM CONDUCTOR - COPPER + PLATING 0.035 MM</div></div>																																																							
<div><div><div><div><div>Milling tool 0.5 mm TYP</div><div>R1.5</div><div>V. SCORE</div></div><div><div>58.5</div><div>V. SCORE</div></div><div><div>V. SCORE</div><div>V. SCORE</div></div></div><div><div>Milling tool 2.0 mm TYP</div><div>V. SCORE</div></div><div><div>Milling tool 2.0 mm TYP</div><div>V. SCORE</div></div><div><div>119.8</div><div>V. SCORE</div></div></div><div><div>TEXAS INSTRUMENTS</div><div>LAUNCHXL-CC1352P-2</div><div>MCU049 Rev. B</div><div>DATE: 2018-11-14</div></div></div>																																																							
<div>DRILL CHART: TOP to BOTTOM ALL UNITS ARE IN MILLIMETERS</div> <table><thead><tr><th>FIGURE</th><th>FINISHED_SIZE</th><th>ROTATION</th><th>PLATED</th><th>QTY</th></tr></thead><tbody><tr><td>•</td><td>0.2</td><td>-</td><td>PLATED</td><td>1518</td></tr><tr><td>•</td><td>0.201</td><td>-</td><td>PLATED</td><td>25</td></tr><tr><td>•</td><td>1.05</td><td>-</td><td>PLATED</td><td>75</td></tr><tr><td>•</td><td>1.1</td><td>-</td><td>PLATED</td><td>1</td></tr><tr><td>⊕</td><td>3.2</td><td>-</td><td>PLATED</td><td>4</td></tr><tr><td>•</td><td>0.899</td><td>-</td><td>NON-PLATED</td><td>6</td></tr><tr><td>•</td><td>1.0</td><td>-</td><td>NON-PLATED</td><td>3</td></tr><tr><td>•</td><td>3.2</td><td>-</td><td>NON-PLATED</td><td>2</td></tr><tr><td>•</td><td>1.3x0.6</td><td>90.000</td><td>PLATED</td><td>2</td></tr></tbody></table>						FIGURE	FINISHED_SIZE	ROTATION	PLATED	QTY	•	0.2	-	PLATED	1518	•	0.201	-	PLATED	25	•	1.05	-	PLATED	75	•	1.1	-	PLATED	1	⊕	3.2	-	PLATED	4	•	0.899	-	NON-PLATED	6	•	1.0	-	NON-PLATED	3	•	3.2	-	NON-PLATED	2	•	1.3x0.6	90.000	PLATED	2
FIGURE	FINISHED_SIZE	ROTATION	PLATED	QTY																																																			
•	0.2	-	PLATED	1518																																																			
•	0.201	-	PLATED	25																																																			
•	1.05	-	PLATED	75																																																			
•	1.1	-	PLATED	1																																																			
⊕	3.2	-	PLATED	4																																																			
•	0.899	-	NON-PLATED	6																																																			
•	1.0	-	NON-PLATED	3																																																			
•	3.2	-	NON-PLATED	2																																																			
•	1.3x0.6	90.000	PLATED	2																																																			

Texas Instruments (TI) and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. TI and/or its licensors do not warrant this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. TI and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.