


Modular Approach to Designing and Prototyping Solutions


ADI / 3rd Party Vendors



ADI



ADI / Partners



ADI


```
#include <stdio.h>
main()
{
    int array[100], n, c;
    printf("Enter the number of elements in array\n");
    scanf("%d", &n);
    printf("Enter %d elements\n", n);
    for ( c = 0 ; c < n ; c++ )
        scanf("%d", &array[c]);
    printf("Array elements entered by you are:\n");
    for ( c = 0 ; c < n ; c++ )
        printf("array[%d] = %d\n", c, array[c]);
    return 0;
}
```



ADI / Partners

WiFi Bluetooth
Other Zigbee
Wireless HART

PMODs/Shields




Sensors

Conditioning/Conversion

FPGA/Processor

PMODs/Shields/Modules



Software

Connectivity

Use many sensors from vendor partners: *Honeywell, Omron, Alphasense, Hamamatsu*

Many different PMOD/Arduino Compatible form factor signal conditioning boards from ADI

Use customers processor/ FPGA to connect to: *ADI, Xilinx, Arduino, Microchip, Renesas, ST*






Provide *C code, Linux drivers, No-OS drivers, HDL code*, and other software that a customer can use in their own design

Have different connectivity options for wireless and wired communication. Provide software and cloud connectivity using ADI and our Partners



AHEAD OF WHAT'S POSSIBLE™

Aspects of the EVAL-ADICUP360 Ecosystem



EVAL-ADICUP360 Packaging

► Overview

► Top

ADICUP360 PACKAGING



► Bottom



ADICUP360



Ecosystem

With integrated and comprehensive tools, software, and hardware, you can create and contribute to projects that everyone can be a part of.

Prototyping

Use hardware modules and software examples together or create your own to develop your final system.


Open Source

Collaborate in an open-source environment. Design and develop code and algorithms that are flexible, scalable, and cost-effective.

Integration

This platform provides opportunities to explore the intersection of precision analog signal conditioning and embedded digital programming.


DAI112ES-0003 (9/11/16-003/16). This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Manufacturer: Analog Devices, Inc. One Technology Way, Norwood, MA 02062-9106, U.S.A. Manufactured in PRC.



<https://ez.analog.com/community/analog-microcontrollers>



► Insert



Getting Started

- Download and install software
- Import example projects
- Run a debug session
- Create your own applications
- <https://wiki.analog.com/resources/eval/user-guides/eval-adicup360>

Projects and Example Code

- <https://github.com/analogdevicesinc/EVAL-ADICUP360>


ADuCM360 Arduino Compatible Platform – 2nd Hardware

USB programming and debug, along with UART to USB serial communication

- ▶ Analog (24-bit)
- ▶ SPI
- ▶ I2C
- ▶ UART
- ▶ Flash
- ▶ DMA

Arduino R3 compatible form factor

PMOD compatible ports, SPI and I²C



ADuCM360 Microcontroller, with dual 24-bit sigma delta ADCs and ARM Cortex M3

- ▶ FCC and CE certified

ADuCM360 Arduino Eclipse IDE

Customized IDE


- Eclipse based (open source)
- ADI plug-ins
- ADuCM360 specific

Open source tool chain

- Open source GCC/GDB
- GNU ARM Tools
- OpenOCD
- CMSIS-DAP


ADI Content

- C Code examples
- Hardware examples
- Low level device drivers




Arduino Shield Boards for ADuCM360 Launch

- ▶ CN0216 Weigh Scale shield




- ▶ CN0357 Toxic Gas Sensing shield



- ▶ ADXL362 Accelerometer shield



- ▶ CN0338 NDIR Gas Sensing shield



ADI PMOD Compatible Boards

Reference Designs	Application
CN0179	4-20mA output
CN0336	4-20mA input
CN0335	0-10V input
CN0216	Weight Scale
CN0355	Differential Pres.
CN0337	RTD measurement
CN0354	Thermocouple
CN0326	pH Measurement
CN0332	MR Speed
CN0346	Humidity sensor
CN0349	Conductivity
CN0350	Piezoelectric Vib.
CN0357	Gas Detection
CN0370	LED Control

Reference Designs	Application
CN0363	Colorimeter
CN0365	High Temp DAQ
CN0372	Energy Harvest DAQ
10 Ld. PulSAR	16-,18- ADC w/Driver
ADF7242	RF Transceiver

