

# Product/Process Change Notice - PCN 20\_0147 Rev. A

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

Note: Revised fields are indicated by a red field name. See Appendix B for revision history.

PCN Title: HMC788A Die Revision, Assembly Site, Marking and Material Change

Publication Date: 06-May-2020

Effectivity Date: 08-Aug-2020 (the earliest date that a customer could expect to receive changed material)

## **Revision Description:**

Correction to Qualification Results Summary Changing HBM ESD rating from 750V to 250V.

Marking Code change.

### **Description Of Change:**

#### Die Changes:

- 1. Elimination of vias by changing Metal 3 interconnect to Metal 2 on the original MMIC layout.
- 2. Increase some metal widths to meet current handling requirements.

#### Assembly material and location changes:

- 1. Assembly site to be moved from Unisem, Malaysia to ASE Korea.
- 2. Terminal plating change from Tin to Nickel-Palladium-Gold.
- 3. Die Attach and molding compound change.
- 4. Change Marking code From: 788A To: Y7H

#### Reason For Change:

To optimize/improve Via robustness to address process package interaction.

### Impact of the change (positive or negative) on fit, form, function & reliability:

No change to fit, form, function and reliability.

# **Summary of Supporting Information:**

Qualification has been performed per Industry Standard Test Methods. See attached Qualification Results Summary.

### **Supporting Documents**

**Attachment 1: Type: Qualification Results Summary** 

ADI\_PCN\_20\_0147\_Rev\_A\_HMC788A Qual Summary for Die Revision V1.pdf

Attachment 2: Type: Detailed Change Description

ADI PCN 20 0147 Rev A HMC788A Detailed Changes V1.pdf

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas: Europe: Japan: Rest of Asia:

PCN\_Americas@analog.com PCN\_Europe@analog.com PCN\_Japan@analog.com PCN\_ROA@analog.com

Appendix A - Affected ADI Models					
Existing Parts - Product Family / Model Number (2)					
HMC788A / HMC788ALP2E	HMC788A/HMC788ALP2ETR				

Appendix B - Revision History				
Rev	Publish Date	Effectivity Date	Rev Description	
Rev	17-Mar-2020	19-Jun-2020	Initial Release.	
Rev. A	06-May-2020	08-Aug-2020	Correction to Qualification Results Summary Changing HBM ESD rating from 750V to 250V. Marking Code change.	

Analog Devices, Inc.

Docld:8163 Parent Docld:None Layout Rev:7