Product Change Notification - SYST-01ZNSB662

Date:	03 Nov 2017
Product Category:	8-bit PIC Microcontrollers
Affected CPNs:	
Notification subject:	— — Data Sheet - PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP
	Data Sheet Document Revision
lotification text:	SYST-01ZNSB662
	Microchip has released a new DeviceDoc for the PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP of devices. If you are using one of these devices please read the document located at PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP.
	Notification Status: Final
	Description of Change: 1) Updated Cover page 2) Data sheet format and content updated 3) Added characteristic graphs.
	Impacts to Data Sheet: None
	Reason for Change: To Improve Productivity
	Change Implementation Status: Complete
	Date Document Changes Effective: 03 Nov 2017
	NOTE: Please be advised that this is a change to the document only the product has not been changed.
	Markings to Distinguish Revised from Unrevised Devices: N/A

Attachment(s):

PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP

Please contact your local Microchip sales office with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to change your product/process change notification (PCN) profile please log on to our website at http://www.microchip.com/PCN sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to microchipDIRECT and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."

SYST-01ZNSB662 - Data Sheet - PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP Data Sheet Document Revision

Affected Catalog Part Numbers (CPN)

PIC18LF45K40T-I/PT PIC18LF45K40T-I/MV PIC18LF45K40T-I/ML PIC18LF45K40-I/PT PIC18LF45K40-I/P PIC18LF45K40-I/MV PIC18LF45K40-I/ML PIC18LF45K40-E/PT PIC18LF45K40-E/P PIC18LF45K40-E/MV PIC18LF45K40-E/ML PIC18F45K40T-I/PT PIC18F45K40T-I/MV PIC18F45K40T-I/ML PIC18F45K40-I/PT PIC18F45K40-I/P PIC18F45K40-I/MV PIC18F45K40-I/ML PIC18F45K40-E/PT PIC18F45K40-E/P PIC18F45K40-E/MV PIC18F45K40-E/ML PIC18LF26K40T-I/SS PIC18LF26K40T-I/SO PIC18LF26K40T-I/MV PIC18LF26K40T-I/ML PIC18LF26K40-I/SS PIC18LF26K40-I/SP PIC18LF26K40-I/SO PIC18LF26K40-I/MV PIC18LF26K40-I/ML PIC18LF26K40-E/SS PIC18LF26K40-E/SP PIC18LF26K40-E/SO PIC18LF26K40-E/MV PIC18LF26K40-E/ML PIC18F26K40T-I/SS PIC18F26K40T-I/SO PIC18F26K40T-I/MV PIC18F26K40T-I/ML PIC18F26K40T-E/MV PIC18F26K40-I/SS PIC18F26K40-I/SP PIC18F26K40-I/SO PIC18F26K40-I/MV PIC18F26K40-I/ML PIC18F26K40-E/SS

SYST-01ZNSB662 - Data Sheet - PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP Data Sheet Document Revision

PIC18F26K40-E/SO PIC18F26K40-E/MV PIC18F26K40-E/ML PIC18LF46K40T-I/PT PIC18LF46K40T-I/MV PIC18LF46K40T-I/ML PIC18LF46K40-I/PT PIC18LF46K40-I/P PIC18LF46K40-I/MV PIC18LF46K40-I/ML PIC18LF46K40-E/PT PIC18LF46K40-E/P PIC18LF46K40-E/MV PIC18LF46K40-E/ML PIC18F46K40T-I/PT PIC18F46K40T-I/MV PIC18F46K40T-I/ML PIC18F46K40T-E/ML PIC18F46K40-I/PT PIC18F46K40-I/P PIC18F46K40-I/MV PIC18F46K40-I/ML PIC18F46K40-E/PT PIC18F46K40-E/PREL PIC18F46K40-E/P PIC18F46K40-E/MV PIC18F46K40-E/ML